


Interior Finish: NB - Nellesen Center for Autism

Paint - Field

PNT-1
MFG: Kwal
Color: A La Mode




Paint - Accent


PNT-2
MFG: Kwal
Color: Shaded Lavender



PNT-3
MFG: Kwal
Color: Squill



PNT-4
MFG: Kwal
Color: Brainfood



Paint - Accent

PNT-5
MFG: Kwal
Color: Trans Atlantic



PNT-6
MFG: Kwal
Color: Threadbare



PNT-7
MFG: Kwal
Color: Saga




PNT-8
MFG: Kwal
Color: Boundary




Flooring - Carpet


CPT-1
MFG: Mohawk Group
Style: Denim Collection
Color: 966 Low Rise
24" x 24"




CPT-2
MFG: Mohawk Group
Style: ColorBeat Tile
Color: 646 Parakeet
24" x 24"



CPT-3
MFG: Interface
Style: Entry Level 28Z
Color: 7191 Olive
50cm x 50cm



CPT-4
MFG: Mohawk Group
Style: Fortitude III
Color: 965 Tenacity
8'-0" diameter




Plastic Laminate


PL-1
Type: Cabinets
MFG: Wilsonart
Style: 10776-60
Color: Kensington Maple



PL-2
Type: Countertop
MFG: Wilsonart
Style: 4845-60
Color: Twilight Zephyr



PL-3
Type: Toilet Partitions
MFG: Wilsonart
Style: 4941K-18
Color: Cosmic Strandz



PL-4
Type: Pre-K Hide-E-Hole
MFG: Wilsonart
Style: 1570-60
Color: White



Interior Finish: NB - Nellesen Center for Autism

Flooring - Tile

T-1
Type: Porcelain Tile
MFG: Daltile
Style: Kimona Silk
Color: Morning Dove



T-2
Type: Mosaic Tile
MFG: Daltile
Style: Keystones
Color: Desert Gray Speckle



T-3
Type: Ceramic Tile
MFG: Daltile
Style: Elevare
Color: Lunar




T-5
Type: Glazed Ceramic Tile
MFG: Daltile
Style: Semi-Gloss
Color: White




Flooring - Tile


T-6
Type: Glass Tile 1
MFG: Daltile
Style: Color Wave
Color: CW31, CW33, CW34



T-7
Type: Glass Tile 2
MFG: Daltile
Style: Color Wave
Color: CW32, CW33, CW34



T-8
Type: Glass Tile 3
MFG: Daltile
Style: Color Wave
Color: CW31, CW32, CW33



Flooring - Concrete

PSC-1
Type: Sealed Concrete
MFG: Stone Touch
Style: Polished Concrete
Color: Natural Gray



SC-1
Type: Sealed Concrete
Finish: Sealed w/ Pentra-sil



Walls - Base

B-1
Type: Rubber Base
MFG: Johnsonite
Style: Millwork
Color: 63 Burnt Umber B
Size: 4 1/4" H x .25" W



B-2
Type: Rubber Base
MFG: Johnsonite
Style: Perceptions
Color: 63 Burnt Umber B
Size: 4 1/4" H x .125" W



Interior Finish: NB - Nellesen Center for Autism

Ceiling

ACT-1
Type: Suspended Acoustical
MFG: Rockfon
Style: Tropic SL 1061 Square
Tegular
Color: White
Size: 2' x 4' x 5/8"



ACT-2
Type: Suspended Acoustical
MFG: Rockfon
Style: Tropic SL 1060 Square
Tegular
Color: White
Size: 2' x 2' x 5/8"



ACT-3
Type: Suspended Acoustical
MFG: Rockfon
Style: Cinema Black Square
Lay In
Color: Black
Size: 2' x 2' x 5/8"




Stone

STN-1
Type: Window Sills
MFG: Hanwha L&C
Style: Hanex Solid Surfaces
Color: B-031 Helsinki



STN-2
Type: Countertops/Edges
MFG: Avonite Surfaces
Style: 100% Acrylic Solid
Surface
Color: Alpine Shimmer




Windows

GF-1
(Glass Film)
MFG: 3M Architectural
Markets
Style: 70-0709-0297-1
Color: Milky White



WS-1
(Window Shade)
Type: Double Roller Shade
MFG: Mecho
Style: #15 Bracket System
Color: Midnite Blackout




Interior Finish: NB - Nellesen Center for Autism

Lighting

Recessed


Type: G-6
 Mfg: Philips, Day-Brite
 Model: 2EVG45L840-2-D-UNV-DIM



Width	Family	Ceiling	Lumens	Color	Length	Diffuser	Voltage	Driver
2"	EvoGrid	Grid	45L	840 CRI 4000K	2"	Diffuse (Opal)	UNV (120-277 V)	0-10v Dim

Recessed

Type: G-12
 Mfg: Philips, DayBrite
 Model: 2EVG43L840-4-D-UNV-DIM



Width	Family	Ceiling	Lumens	Color	Length	Diffuser	Voltage	Driver
2"	EvoGrid	Grid	43L	840 CRI 4000K	4"	Diffuse (Opal)	UNV (120 - 277 V)	0-10v Dim

Recessed

Type: LD-1
 Mfg: Philips, Lightolier
 Model: P4RD10NZ10UVB W/P4RD840VB W/P4RLWD



Frame-In Kit

Series	Style	Lumens	Installation	Dimming	Input Voltage	Version
LyteProfile 4" Round	Downlight	1000 lm	Non-IC New construction	0-10V Dimming	Universal (120 - 277 V)	Version B

Light Engine

Series	Style	CRI	CCT	Vesion
LyteProfile 4" Round	Downlight	80 CRI	4000K	Vesion B

Reflector

Series	Style	Reflector	Flange
LyteProfile 4" Round	Lensed wall wash	Clear diffuse (applied)	White (painted)

Recessed

Type: LD-2
 Mfg: Philips, Lightolier
 Model: P6RD15NZ10UVB W/P6RD840VB W/P6RDD



Frame-In Kit

Series	Style	Lumens	Installation	Dimming	Input Voltage	Version
LyteProfile 6" Round	Downlight	1500 lm	Non-IC New construction	0-10V Dimming	Universal (120 - 277 V)	Version B

Light Engine

Series	Style	CRI	CCT	Vesion
LyteProfile 6" Round	Downlight	80 CRI	4000K	Vesion B

Reflector

Series	Style	Reflector	Flange
LyteProfile 6" Round	Downlight	Clear diffuse (applied)	White (painted)

Interior Finish: NB - Nellesen Center for Autism

Lighting

Recessed

Type: LD-3
 Mfg: Philips, Lightolier
 Model: C6L30N2VBZ10V W/C6L1520DL40KMCLWVB



Frame-In Kit

Series	Lumens	Installation	Input Voltage	Version	Dimming
Calculite 6" LED round aperture	3000 lm	New construction	277 V	Version B	0-10 V dimming

Trim Kit

Series	Lumens	Style	CCT	Beam	Flange	Version
Calculite 6" LED round aperture	1500 lm, 2000 lm, 3000 lm	Downlight	4000K	Medium, 0.8 s.c.5	White (painted)	Version B

Recessed

Type: NF-4
 Mfg: A-Light
 Model: D5-4-LH-40-U-HE-G-SCBA-D



Series	Dimensions	LED Output	LED Temp	Voltage	Optics	Mounting	Finish	Options
D5	4 ft	LED high output (10w/ft)	4000K	Universal (120 - 277V)	High Efficiency WISP Lens	Flush gyp/hard lid	SCBA	Standard 0-10 dimming

Pendant

Type: SS-14
 Mfg: Philips, Day-Brite
 Model: T232-UNV-1/2-EBLHE



Family	Lamps per Cross section	Lamp Type	Voltage	Options
Standard Strip	2	32WT8 (48")	Universal (120 - 277V)	One 2-lamp ballast Electronic ballast, high efficiency, low ballast factor

Flush Mount

Type: TX2A
 Mfg: Pinnacle
 Model: F48-A-40-S-UNV-1D-SCBA



House	Shielding	Color/lm	Mounting	Voltage	Circuiting	Finish
Fina 48" Diameter	Satine Lens	4000k	Surface Mount Ceiling	Universal (120 - 277V)	Single Circuit Dimming	SCBA

Flush Mount

Type: TX2B
 Mfg: Pinnacle
 Model: F36-A-40-S-UNV-1D-SCBA




House	Shielding	Color/lm	Mounting	Voltage	Circuiting	Finish
Fina 36" Diameter	Satine Lens	4000k	Surface Mount Ceiling	Universal (120 - 277V)	Single Circuit Dimming	SCBA

Interior Finish: NB - Nellesen Center for Autism

Doors


Type: Door B
Mfg: Oskosh Wood Doors
Material: Rift Cut Red Oak
Style: Flush Solid Core Wood



Type: Door C
Mfg: Ceco Door Products
Material: Cold Rolled Steel
Style: Flush Hollow Metal




Type: Door E
Mfg: Oskosh Wood Doors
Material: Rift Cut Red Oak
Style: Flush Solid Core Wood




Doors


Type: Door P
Mfg: Oskosh Wood Doors
Material: Rift Cut Red Oak
Style: Solid Core Wood
Cutout: 22" Visible Round metal vision kit



Type: Door Q
Mfg: Oskosh Wood Doors
Material: Rift Cut Red Oak
Style: Solid Core Wood
Cutout: 6"x24" Flush Wood Kit



Type: Door A
Mfg: Oskosh Wood Doors
Material: Rift Cut Red Oak
Style: Solid Core Wood
Cutout: 24"x24" Flush Wood Lite Kit



Door Hardware

Type: Finish 1
Color: US26D/626
Name: Satin Chrome

