




Alcatel OmniPCX Enterprise

Alcatel 4038/4039/4068



Introduction



Thank you for choosing a telephone from the 4038/4039/4068 range manufactured by **Alcatel**.
Your Alcatel 4038/4039/4068 digital terminal has a new ergonomic layout for more effective communication.

- A large graphic screen, in conjunction with various keys and the navigator, allows you to make calls, configure and program your telephone,
- a receiver that is pleasant to use: it fits nicely in the hand with a flexible grip section,
- communication is even more convenient using the audio keys (speaker, handsfree),
- using the convenient alphabetic keypad, you can call your parties by name.






How to use this guide



• Actions

-  Lift the receiver.
-  Hang up.

• Keypad

-  Numeric keypad.
-  Alphabetic keypad.
-  Specific key on numeric keypad.




• Navigator

-  Move the navigation key up, down, to the left or to the right.
-  To go back one level (press and release) or to return to the welcome page (press and hold) ; during a conversation, can be used to access the different pages (Menu, Main, etc.) and to return to the telephone screens.



• Display and display keys

-  Partial view of display.
-  Display key.




• Audio keys

-  Speaker., Handsfree.
-  Adjustment "reduce".
-  Adjustment "increase".






• Programmable keys and icons

-  Line key.
-  Icon corresponding to key.

• Other fixed keys

-  Hold and Transfer keys.
-  MENU key.
-  Voice mail access key.

• Other symbols used

-  Means that the function is accessible from the Menu page.
-  Means that the function is accessible from the Main page.
-  Means that the function is accessible from the Info page.
-  Means that the function is subject to programming. If necessary, contact your installer.
-  Means that the function can be accessed by pressing a programmed key - see **Program the keys for the Main page or the add-on module.**

These symbols may be supplemented by small icons or text.

Contents

1.

Getting to know your telephone p. 6

Description of the screens p. 7

- 1.1 Welcome screens p. 7
- 1.2 Call management screen p. 8
- 1.3 Application screen p. 8

2.

Using your telephone p. 9

- 2.1 Making a call p. 9
- 2.2 Answering a call p. 9
- 2.3 Using the telephone in "handsfree" mode p. 9
- 2.4 Activating the speaker during a conversation (receiver lifted) p. 10
- 2.5 Calling your party by name (company directory) p. 10
- 2.6 Make calls via your programmed call keys p. 10
- 2.7 Calling from the common directory p. 10
- 2.8 Redial p. 10
- 2.9 Call back the last caller p. 10
- 2.10 Requesting automatic callback if internal number is busy p. 11
- 2.11 Answering an internal call in intercom mode p. 11
- 2.12 Sending DTMF signals p. 11
- 2.13 Mute, so that your party cannot hear you p. 11

3.

During a call p. 12

- 3.1 Making a second call during a conversation p. 12
- 3.2 Answering a second call during a conversation p. 12
- 3.3 Switching between calls (Broker call) p. 12
- 3.4 Transferring a call p. 13
- 3.5 Three-way conference with internal and/or external partys (conference) p. 13
- 3.6 Talk simultaneously to more than 2 correspondents p. 13
- 3.7 Placing a call on hold (HOLD) p. 13
- 3.8 Placing an outside call on hold (parking) p. 14
- 3.9 Intrusion into an internal conversation p. 14
- 3.10 Adjust audio volume p. 14

4.

Sharing p. 15

- 4.1 Answering a night or a general bell p. 15
- 4.2 Manager/assistant screening p. 15
- 4.3 Individual pick-up p. 15
- 4.4 Hunting groups p. 16
- 4.5 Calling an internal party on his/her pager p. 16
- 4.6 Answering a call on your pager p. 16
- 4.7 Calling a party on his/her speaker p. 17
- 4.8 Sending a written message to an internal party p. 17
- 4.9 Sending a copy of a voice message p. 17
- 4.10 Sending a recorded message to a number/a distribution list p. 18
- 4.11 Broadcasting a message on the speakers of a station group p. 18

5.

Keeping in touch p. 19

- 5.1 Forwarding calls to another number (immediate forwarding) p. 19
- 5.2 Forwarding your calls to your voice message service p. 19
- 5.3 When you return, review your recorded messages p. 19
- 5.4 Forwarding calls to your pager p. 19
- 5.5 Forwarding your calls from the receiving terminal ("Follow me") p. 20
- 5.6 Applying a selective forwarding p. 20
- 5.7 Cancelling all forwardings p. 20
- 5.8 Cancelling a specific forwarding p. 20
- 5.9 Forwarding calls when your line is busy (forward if busy) p. 20
- 5.10 Do not disturb p. 21
- 5.11 Leaving a recorded message for internal callers p. 21
- 5.12 Consulting written messages p. 21

6.

Managing your charges p. 22

- 6.1 Charging your calls directly to business accounts p. 22
- 6.2 Finding out the cost of an outside call made for an internal user from your terminal... p. 22

7.

Programming your telephone p. 23

- 7.1 Initializing your voice mailbox p. 23
- 7.2 Customizing your voice greeting p. 23
- 7.3 Modify the password for your phone set p. 23
- 7.4 Modify the password for your voice mailbox p. 23
- 7.5 Adjusting the audio functions p. 24
- 7.6 Adjusting screen brightness p. 24
- 7.7 Selecting the welcome page p. 24
- 7.8 Selecting language p. 25
- 7.9 Program the keys for the Main page or the add-on module p. 25
- 7.10 Programming an appointment reminder p. 25
- 7.11 Identifying the terminal you are on p. 26
- 7.12 Lock / unlock your telephone p. 26
- 7.13 Configuring the audio jack of your telephone p. 26
- 7.14 Modify the associated number p. 26
- 7.15 Create, modify or consult your intercom list (max. 10 numbers) p. 26
- 7.16 Installing a Bluetooth® Wireless Technology headset (matching) p. 27
- 7.17 Using a Bluetooth® Wireless Technology headset p. 27
- 7.18 Removing a Bluetooth® Wireless Technology headset p. 27

Compliance p. 28

Getting to know your telephone



Audio keys



END key: to terminate a call.



Handsfree/Speaker Key: to make or answer a call without lifting the receiver.

- Lit in handsfree mode or headset mode (short press).
- Flashing in speaker mode (long press).




Intercom/Mute key:

- During a call: press this key so that your party cannot hear you.
- Terminal idle: press this key so that you can automatically answer a call without lifting the receiver.



To adjust the speaker or receiver volume up or down

Extension unit



An extension unit can be fitted to your telephone. This provides additional keys which can be configured as feature keys, line keys, call keys etc.
To affix labels: push the holding strip of the unit backwards to you and lift it. Install the label under the keypad, in the housing designed for, and place the keypad back into position.

Display and display keys

Contains several lines and pages providing information on calls and the features accessible via the 10 keys associated with the words on the screen.



Forward icon: pressing the key next to this icon allows you to program or change the forward feature.



Receiver connected.



Appointment programmed.



Silent mode enabled.



Telephone locked.



Display keys: pressing a display key activates the feature shown associated with it on the screen.

Navigation



OK key: used to validate your choices and options while programming or configuring.



Left-right navigator: used to move from one page to another.



Up-down navigator: used to scroll through the content of a page.



Back/Exit key: to return to previous menu (short press) or return to first screen (long press); during a conversation, provides access to welcome screens (Menu, Info, ...) and to return to the conversation icon screens.

Welcome screens



Menu page: contains all features and applications accessible via the keys associated with the words on the screen.

Main page: contains call line keys (allowing supervision of calls) and programmable call keys.

Info page: contains information on the telephone and the status of its features: name, telephone number, number of messages, activation of forward feature, appointment reminder, etc.



Call display




Incoming call.



Call in progress or outgoing call.



Call on hold.



If you get two calls at the same time, you can switch from one call to the other by pressing the display key associated with each call.

Left-right navigator: used to check calls.

Feature keys and programmable keys



Guide key: used to obtain information on features of the 'menu' page and to program key of the 'main' page.



Messaging key to access various mail services:

If the key flashes, a new voice message or a new text message has been received.



'Redial' key : to access the 'Redial' function.




Hold: the call is placed on hold.

Transfer: transfer the call to another number.

1 Description of the screens

1.1 Welcome screens



- **Menu page:** contains all features and applications accessible via the keys associated with the words on the screen. From this page, it is possible to adjust the ringer volume and screen brightness, program the time of an appointment, lock the terminal, define the default page displayed, configure voice mail, and access telephone functions such as calling back one of the last 10 numbers or intercepting calls.



- **Main page:** contains call line keys (allowing supervision of calls) and programmable call keys. The up-down navigator is used to access all the direct call keys (apart from those displayed by default). Direct call keys are programmed or modified via the Information key.



- **Info page:** contains information on the telephone and the status of its features: name, telephone number, number of messages, activation of forward feature, appointment reminder, etc.




Left-right navigator:
used to move from one page to another.



Up-down navigator:
used to scroll through the content of a page.

Description of the screens

1.2 Call management screen



Each tab corresponds to a call, the status of which is symbolized by its icon (in progress, held, arrival of new call). When a call is in progress, use the left-right navigator to look at held or incoming calls.



Use the up-down navigator to display the functions accessible. These functions (transfer, conference, etc.) are directly related to the status of the call consulted. For example, the transfer function will not be available between a call in progress or a held call and an incoming call.




Back/Exit key: used to switch from a telephone screen to an application screen. For example, can be used while a call is in progress to look up a number, program an appointment reminder, etc.




Calls can also be managed from the Main page.
While the call is in progress, press the Back/Exit key and display the Main page.
Calls in progress or waiting are displayed on the different line keys. It is then possible to converse with the caller of your choice by pressing the key associated with him.

1.3 Application screen



- **Application screen:** displays information relevant to programming or configuring the telephone.
- **Events screen:** displays events connected to the programming or configuration operations in progress, confirmation, rejection, error, etc.

2.1 Making a call



To make an external call, dial the outside line access code (9) before dialing your party's number. 9 is the default code for an outside line.

For the attendant, dial '0' (by default).

• If the internal or outside number does not reply:



2.2 Answering a call




2.3 Using the telephone in 'handsfree' mode

■ Terminal idle:




■ Call in progress:



During a conversation, you can lift the receiver without terminating the call.


Using your telephone

2.4 Activating the speaker during a conversation (receiver lifted) - Speaker




press and release the speaker key to switch to handsfree mode (light steady).

2.5 Calling your party by name (company directory)



2.6 Make calls via your programmed call keys

Main



2.7 Calling from the common directory

Your terminal has access to a common directory of outside numbers.



directory number


2.8 Redial

Menu



2.9 Call back the last caller (whose call was not answered)

Menu



Using your telephone

2.10 Requesting automatic callback if internal number is busy



2.11 Answering an internal call in intercom mode

You can answer without lifting the receiver. When you receive an internal call, your telephone rings and you are connected directly in handsfree mode. The screen shows the caller's identity.

- **To activate - Terminal idle:**



When your caller hangs up, intercom mode remains active.

- **To deactivate - Terminal idle:**



2.12 Sending DTMF signals

During a conversation you sometimes have to send DTMF signals, such as with a voice server, an automated attendant or a remotely consulted answering machine.



you are in conversation with the destination number

to activate

The function is automatically cancelled when you hang up.

2.13 Mute, so that your party cannot hear you

You can hear your party but he/she cannot hear you:




you are in conversation with the destination number




resume the conversation

3.1 Making a second call during a conversation

During a call, you can call a second person (consultation call):



• Other methods for calling a second party




• To cancel your second call and recover the first:



If you make an error, hang up: your telephone will ring and you will recover your first call.

3.2 Answering a second call during a conversation


• A second party is trying to call you:



■ Answer call displayed:




• To return to your first caller and end the conversation in progress:



3.3 Switching between calls (Broker call)


During a call, a second call is put on hold. To alternate between calls:



During a call

3.4 Transferring a call

- To transfer your call to another number:




Transfer between two outside calls is not generally possible (depends on country concerned and system configuration).

3.5 Three-way conference with internal and/or external correspondents (conference)

- During a call, to establish a three-way conference:



- Cancel conference and return to first correspondent (if conference is active):



- Hang up on all correspondent (if conference is active):




- After the conference, to leave your two parties talking together:



3.6 Talk simultaneously to more than 2 correspondents

You are in a conference call with 2 parties. To add another party to the conference:



3.7 Placing a call on hold (HOLD)

- **Exclusive hold:**

During a call, you may place the call on hold and recover it later, on the same telephone.




- **Press 'Hold' to recover the call on hold:**



- **Common hold:**

To recover your call on any telephone in your system.




Recover the call on hold from any telephone:



key associated with the 'incoming call' icon

During a call

3.8 Placing an outside call on hold (parking)

 call Park/retrieve

You can place an outside call on hold and recover the call on another telephone:



you are in conversation with the destination number



A parking announcement message is displayed on the screen of the parking destination set.





• To recover the parked call:

 call Park/retrieve

To automatically take the parked call, pick up the handset of the parking destination set.



reach the 'menu' page



If the parked call is not recovered within a preset time (default value 1 min 30), it is transferred to the attendant.

3.9 Intrusion into an internal conversation

Your party's line is busy. If the number is not "protected" and if authorised, you can intrude into the call:



same key to exit

• Protection against intrusion:

 protection Intrusion



press programmable key




enter the number desired



Protection is cancelled when you hang up.

3.10 Adjust audio volume

During a call, to adjust the volume level of the speaker or receiver:



OR



you are in conversation with the destination number

adjust audio volume

4.1 Answering a night or a general bell

Menu




call pickup Night service

When the attendant is absent, outside calls to the attendant are indicated by a general bell. To answer:



reach the 'menu' page



4.2 Manager/assistant screening



Screened list:

System configuration allows "manager/assistant" groups to be formed, so that the manager's calls can be directed to one or more secretaries.

- From the manager's or assistant's telephone:



press programmable key



press the same key to cancel



Screening is indicated on the manager's telephone by the icon corresponding to the "screening" programmed key.

4.3 Individual pick-up

Menu



You hear a telephone ringing in an office where no-one can answer. If authorised, you can answer the call on your own telephone.

- If the telephone ringing is in your own pick-up group:

Group call pick



reach the 'menu' page



- If the telephone ringing is not in your pick-up group:

Individual call



reach the 'menu' page



dial the number of the ringing telephone



The system can be configured to prevent call pick-up on certain telephones.

4.4 Hunting groups

• Hunting group call:

Certain numbers can form a hunting group and can be called by dialling the group number.



• Temporary exit from your hunting group:



reach the 'menu' page



• Return into your group:




reach the 'menu' page



Belonging to a group does not affect the management of direct calls. A specific telephone within a group can always be called by using its own number.

4.5 Calling an internal party on his/her pager

The number called does not answer and you know that the person called has a pager:




Your party can answer from any telephone in the system.

4.6 Answering a call on your pager




A call on your pager can be answered from any telephone within the system.




4.7 Calling a party on his/her speaker

Menu


Your internal party does not answer. If authorised, you can remotely activate your party's phone:




4.8 Sending a written message to an internal correspondent



4.9 Sending a copy of a voice message




4.10 Sending a recorded message to a number/a distribution list



4.11 Broadcasting a message on the speakers of a station group


A message not requiring an answer can be broadcast on the speakers within your broadcast group:



The message will only be broadcast on terminals not in use and which have a speaker.

5.1 Forwarding calls to another number (immediate forwarding)

The number can be your home, portable or car phone, voice message or an internal extension (attendant, etc.).




You can make calls, but only the destination number can call you.

5.2 Forwarding your calls to your voice message service



5.3 When you return, review your recorded messages


The light indicates that messages have been received.



5.4 Forwarding calls to your pager

Radio paging

Callers will thus be able to contact you while you are moving around the company:




Keeping in touch

5.5 Forwarding your calls from the receiving terminal ("Follow me")

Remote forward


You wish to receive your calls in your present location:
Use the "Follow me" function.



5.6 Applying a selective forwarding

Menu

You can forward your primary number and your secondary number or numbers to different sets.



5.7 Cancelling all forwardings



5.8 Cancelling a specific forwarding




5.9 Forwarding calls when your line is busy (forward if busy)

Menu


Forward on busy

Callers will thus be able to contact you while you are moving around the company:




Keeping in touch

5.10 Do not disturb




5.11 Leaving a recorded message for internal callers

You can leave a message on your terminal which will be displayed on the screen of the terminal calling you.



5.12 Consulting written messages

The light indicates that messages have been received.



6.1 Charging your calls directly to business accounts


Menu



You can charge the cost of your outside calls to business account numbers.



reach the 'menu'
page




number of
business
account




number required

6.2 Finding out the cost of an outside call made for an internal user from your terminal



reach the 'menu'
page




7 Programming your telephone

7.1 Initializing your voice mailbox

Light flashes




Enter your personal code, then record your name following the voice guide instructions

 Your personal code is used to access your voice mailbox and to lock your telephone.


7.2 Customizing your voice greeting

Menu

You can replace the greeting message by a personal message.



No new voice message



Perso options

Greeting msg

Perso greeting

personal code

→

Normal prompt

OR

Perso greeting

press to return to the default message

record message

End

end recording

→

Accept

OR

Restart

OR

Replay

confirm re-record a message replay message

7.3 Modify the password for your phone set

Menu

menu

Settings

My phone

Password

reach the 'menu' page



old code (4 digits)



new code (4 digits)

OK

OR

Apply




enter new password again to confirm

OK

OR

Apply



 This password controls access to the programming and terminal locking functions by the user (default password: 0000)

7.4 Modify the password for your voice mailbox

Menu



No new voice message




Perso options

Admin options

personal code


Password

My password



new code (4 digits)

#



 As long as your voice mailbox has not been initialized, the personal code is 0000.

Programming your telephone

7.5 Adjusting the audio functions

Menu




reach the 'menu' page

▼ Choose the tune:




select the melody of your choice
(16 tunes)

▼ Adjusting the ringer volume:



select the level of your choice:
(12 levels)




▼ Activate/deactivate silent mode:



to deactivate

to activate




▼ Activate/disable meeting mode (progressive ringing):



to deactivate

to activate


▼ Activate/deactivate discreet ring mode:




to deactivate

to activate

▼ Adjust ringer volume while a call arrives:



your telephone rings





adjusting the ringer volume:

7.6 Adjusting screen brightness (Alcatel 4038/4039)

Menu



reach the 'menu' page



increase or decrease the contrast

7.7 Selecting the welcome page

Menu

This function is used to choose the page displayed by default on the telephone.



select the default page

Programming your telephone

7.8 Selecting language

Menu



reach the 'menu' page




enter your personal code

select the language of your choice

7.9 Program the keys for the Main page or the add-on module

Main

You can program call numbers and functions for the 'Main' page keys and the add-on module keys.




■ To program a number:



■ To program a function:



■ Other possibilities:



7.10 Programming an appointment reminder

Menu

You can define the time of a temporary reminder (one in 24 hours) or a permanent reminder (every day at the same time).



reach the 'menu' page

enter time of appointment



dial the number of the appointment destination set

The 'Appointment programmed' icon is displayed on the welcome page.

• At the programmed time, your telephone rings:



If your calls are forwarded to another terminal, the forwarding is not applied to the reminder call.

• To cancel your reminder request:



reach the 'menu' page

The 'Appointment programmed' icon disappears from the welcome page.

Programming your telephone

7.11 Identifying the terminal you are on


Info

The number of your telephone is displayed on the 'Info' page.



7.12 Lock / unlock your telephone


Menu



7.13 Configuring the audio jack of your telephone

Menu


By default, the audio jack of your telephone can be used to connect a headset, handsfree kit or speaker.



7.14 Modify the associated number


Menu

The associated number can be a phone set number, the voice mail number or the pager number.



7.15 Create, modify or consult your intercom list (max. 10 numbers)

Menu




Programming your telephone

7.16 Installing a Bluetooth® Wireless Technology headset (matching) - Alcatel 4068

Menu

Before a Bluetooth® headset can be used, it must be correctly matched to the terminal. Before performing the matching operation, the headset must be in detectable mode*.




* Refer to the user documentation supplied with the headset.

7.17 Using a Bluetooth® Wireless Technology headset - Alcatel 4068

Refer to the user documentation supplied with the headset.

7.18 Removing a Bluetooth® Wireless Technology headset - Alcatel 4068

Menu



Compliance

Independently of the legal warranty that covers this appliance, it is guaranteed for 1 year, parts and labour, counting from the date indicated on your invoice.

The invoice will be demanded if making a claim under the warranty. The warranty does not however apply in the following cases: in the event of use that does not comply with the instructions given in this user's manual, faults or damage caused by natural wear, damage resulting from a cause external to the appliance (e.g. impact, fall, exposure to dampness, etc.), noncompliant installation or modifications or repairs carried out by people who are not approved by the manufacturer or retailer.

Warning: never place your telephone in contact with water. To clean your telephone, you may however use a damp soft cloth. Never use solvents (trichlorethylene, acetone, etc.) which may damage the plastic parts of your telephone. Never spray it with cleaning products.

Earpiece may retain magnetic objects.

The wording is not contractual and may be subject to change. Some functions of your telephone are controlled by a software key and the configuration of the unit.

Declaration of compliance

We, Alcatel Business Systems, hereby declare that we assume the Alcatel 4038/4039/4068 product to be compliant with the essential requirements of Directive 1999/5/CE of the European Parliament and Council. A copy of the original of this declaration of compliance can be obtained from your installer.

Alcatel 4068

This device complies with Part 15 of FCC rules and with RSS-210 of Industry Canada. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications made to this equipment not expressly approved by Alcatel Business Systems may void the FCC authorization to operate this equipment.

The device is designed and manufactured not to exceed the emission limits for exposure to radio frequency energy in SAR (Specific Absorption Rate) set by the FCC. Alcatel Business Systems, in keeping with its policy of constant product improvement for the customer, reserves the right to modify product specifications without prior notice. Copyright © Alcatel Business Systems. 2005. All rights reserved.

MUI9001USAB-E610ed01-0805