## **Utah Fire Service Certification System**

# TECHNICAL RESCUE STRUCTURAL COLLAPSE RESCUE



## **CERTIFICATION STANDARD**

Approved May 2023 Updated November 2023

### **Utah Fire Service Certification Council**

Chairperson

Scott Spencer, Chief

Payson Fire & Rescue

Vice-Chairperson

Rod Tomkinson, Assistant Chief
Logan Fire Department

### Council Members

Ted Black, Utah State Fire Marshal Utah State Fire Marshal's Office

**Merlin Spendlove, Battalion Chief** 

Hurricane Fire & Rescue

Jeremy Raymond, Chief/Director Uintah Fire Suppression SSD

Ron Harris, Chief Tropic Fire Department

TJ Brewer, Chief
Moab Valley Fire Department

**Chris Whetton, Captain** Weber Fire District

**David Youngberg, Battalion Chief** 

North Davis Fire District

Chris Trevino, Deputy Chief West Jordan Fire Department

Wade Snyder, Deputy Fire Management Officer Division of Forestry, Fire & State Lands

Krista Horting, Deputy Chief Spanish Fork Fire and EMS

John Evans, Chief West Valley City Fire Department

Utah Fire & Rescue Academy Staff
Brad Wardle, Director

Jolene Chamberlain, Assistant Director

Joan Aaron, Certification Program Manager

Certification Specialists:

Jennifer Lindley – Northern Region Trudy Meister – Central Region Sharon Stokes – Salt Lake County/Southern Region

For questions or comments concerning this or other Utah certification standards, please contact:

Utah Fire Service Certification Council
Utah Fire & Rescue Academy
Utah Valley University
3131 Mike Jense Parkway
Provo, Utah 84601
Phone 801-863-7709
Fax 801-374-0681
www.uvu.edu/ufra

## **Structural Collapse Rescue Technical Committee**

The Certification Council would like to recognize and extend a voice of appreciation to the following fire service professionals for their work on the Structural Collapse Rescue certification standard. These individuals devoted many hours to reviewing the National Fire Protection Association (NFPA) 1006 standard, certification test banks, and curriculum textbooks to develop the wording for the skills for each discipline within this standard.

Thank you.

### **Structural Collapse Rescue Committee**

Chris Trevino, Deputy Chief West Jordan Fire Department \*Certification Council Representative

Brandon Boshard, Battalion Chief American Fork Fire Department

Bryan Davies, Captain Logan Fire Department

Oliver Silva, Captain Springville Fire Department

Jonathan Van Huss, Heavy Rescue Specialist Unified Fire Authority

McKay Wadley, Captain Park City Fire District

Mark Weekes, Battalion Chief North Davis Fire District

## **Table of Contents**

Introduction	1
Technical Rescue Certification Requirements	2
Entrance Requirements	2
Physical Fitness Requirements	
Department Training Officers	
	2
Department Training	
Written Objectives	
Skill Objectives	
Department Training Records	
Department In-House Skills Examination	5
Certification Examinations	5
Written Examinations	5
Skills Spot Check Examinations	
Technical Rescue Certification	7
Prerequisites for Structural Collapse Rescue Certification	
Recertification for Technician Levels	
Receitmention for Technician Develorment	/
Technical Rescue Certification Checklist	8
Section I. Structural Collapse Rescue - Awareness	
Structural Collapse Rescue - Awareness Skills	10
Structural Collapse Rescue - Awareness Evolution	
Structural Collapse Rescue - Awareness Training Record	14
Section II. Structural Collapse Rescue - Operations	
Structural Collapse Rescue - Operations Skills	16
Structural Collapse Rescue - Operations Evolution	
Structural Collapse Rescue - Operations Training Record	
Section III. Structural Collapse Rescue - Technician	
Structural Collapse Rescue - Technician Skills	28
Structural Collapse Rescue - Technician Evolution	
Structural Collapse Rescue - Technician Training Record	
Structural Collapse Reseuc - Technician Training Record	т1
Appendix A. Structural Collapse Rescue Examples and Forms	4.4
Structural Collapse - Photo Examples	
Example of an Incident Action Plan (IAP) for Structural Collapse	46
Appendix B. In-House Proctor Instructions	
Proctor Instructions for In-House Comprehensive Examinations	56
Annendix C Certification Forms	57

### INTRODUCTION

The Utah Fire & Rescue Academy (UFRA) has evolved into a dynamic organization that provides fire and emergency service related training, professional accredited certification, and resource assistance. The Utah Fire Service Certification System (UFSCS) has been administered by UFRA since the system's inception in the early 1980s. The governing body for the firefighter certification system in the state of Utah is the Utah Fire Service Certification Council (UFSCC). The members of the council represent various areas of the state as well as a variety of department types.

The entire system is based on international professional job performance standards from NFPA and NWCG. Fire service training must be utilized to its maximum potential. Any overlap, fragmentation, and lack of basic structure must be eliminated. Standardization is the natural complement and necessity. Through these national standards and certification, firefighters and fire departments have a tool to measure specific levels of skills, abilities, and knowledge. Testing takes place all over the state of Utah and is usually scheduled by fire department training officers for members of one or more local agencies to test at their own facilities using their own equipment.

The Utah Fire Service Certification System (UFSCS) creates uniformity by certification. Certification allows a fire service professional to be a part of the National Registry (Pro Board and IFSAC), which verifies that a person has been trained at a national standard. Firefighters, hazardous materials responders, and rescue personnel can earn various certifications. Volunteer, part-time, and career firefighters must all meet the same standard to certify. Most fire departments in Utah have certified personnel even though there is no law requiring it. The UFSCC believes that by participating in this certification program firefighters and fire departments will be better prepared to provide safety and fire protection for their communities.

"Certification from an accredited entity is a statement of success, an indisputable mark of performance belonging to individual fire service professionals. Each successful candidate for certification from an accredited entity knows that he or she has been measured against peers and meets rigorous national standards. Certification affords the individual a uniformity and portability of qualifications. In addition, the creditability of an organization is enhanced by having members certified to national consensus standards." — theproboard.org

IFSAC "provides accreditation to entities that certify the competency of and issue certificates to individuals who pass examinations based on National Fire Protection Association (NFPA) fire service professional qualifications and other standards approved by the Assembly." — ifsac.org

The following certification requirements are based on the objectives listed in Chapter 6, "Structural Collapse Rescue," in NFPA 1006, *Standard for Technical Rescue Personnel Professional Qualifications* (National Fire Protection Association, 2021), as verified and adopted by the Utah Fire Service Certification Council (UFSCC).

## TECHNICAL RESCUE CERTIFICATION REQUIREMENTS

## **Entrance Requirements**

Certification at the Technical Rescue – Structural Collapse Rescue: Awareness, Operations or Technician levels is a unique process. Because of the method and manner in which NFPA has established to become certified, candidates must complete the prerequisites and/or requirements for any of the specialty areas as set forth in Chapter 6 of NFPA 1006 (2021). In order to certify at the Technical Rescue – Structural Collapse Rescue: Awareness, Operations or Technician levels, candidates must fulfill the following requirements:

- 1. Complete entrance requirements.
- 2. Set up and maintain department records.
- 3. Train on the required written and practical objectives in the specialty areas outlined in Chapter 6, "Structural Collapse Rescue."
- 4. Pass an in-house practical skills examination for each specialty area.
- 5. Meet any other training requirements/prerequisites as defined by the Certification Council.
- 6. Pass both written and practical skills examinations administered by the Certification Council.
- 7. Request Technical Rescue Certification for each specialty area completed.
- 8. Request recertification at the end of each 3-year certification period.

## Physical Fitness Requirements

The UFSCC acknowledges the importance of and need for physical fitness requirements as listed in NFPA 1006. Many agencies and departments have existing policies, regulations, etc. already in place regarding these requirements. The handling of physical fitness requirements is a LOCAL MATTER, outside the authority and jurisdiction of the UFSCC. The Council will not check, test, evaluate, or determine how individual agencies meet these requirements. Some departments have found it necessary to waive any type of physical fitness requirements due to their own special needs. As a local decision, this is permitted. However, due to the amount of physical, mental, and emotional stress inherent in this profession, the Utah Fire Service Certification Council strongly recommends careful evaluation before altering or doing away with any existing physical fitness requirements.

"All technical rescue activities should be carried out in the safest possible manner, including the consideration that all risks taken are to benefit the operation. Technical rescue skills require a high degree of physical activity, coordination, operational planning, and a strong knowledge of all applicable protocols" (NFPA 1006, 1.3.9).

Here are the entrance requirements outlined in NFPA 1006 (1.3.9, A.1.3.9):

- 1. Meet the minimum educational requirements established by the authority having jurisdiction.
- 2. Utah Fire Service Certification Council Policy 11.3 requires that a candidate must be at least 18 years of age to test and be certified.
- 3. Meet the medical requirements of NFPA 1582, Standard on Comprehensive Occupational Medical Program for Fire Departments, 2022 edition, as determined by the medical authority of the AHJ.
- 4. Technical rescue operations involve activities that pose great physical and mental challenges, requiring the rescuer to perform challenging physical activities in a high-stress environment. Physical fitness requirements for entry-level personnel should be developed and validated by the authority having jurisdiction. Physical fitness requirements should be in compliance with applicable Equal Employment Opportunity regulations and other legal requirements.
- 5. Prior to beginning training as technical rescue personnel, a minimum medical training

- requirement should be met.
- 6. People having the potential for encountering hazardous materials on an incident scene should be trained to recognize the hazard and to implement exposure and control methods.
- 7. Meet psychological support/education requirements established by the authority having jurisdiction.

## **Department Training Officers**

For a department to enroll in the certification process, it is necessary for the department to assign training officers. Departments who **do not** have certified personnel to act as training officers for certification training should contact the Utah Fire & Rescue Academy at (801) 863-7709 for assistance in setting up and monitoring certification training.

Department training instructors shall be certified at the level they are teaching. In addition, the Certification Council strongly recommends that training officers and instructors be state certified at the Instructor I level.

Department training officers or instructors will be responsible for certification training. Their primary responsibility will be to teach, evaluate, and in-house test department personnel on the skill and evolution requirements for each level of certification training.

The final entrance requirement is to complete the **Intent to Participate** form provided in Appendix C and return it to the Certification Council. Remember, participation in the certification process is **VOLUNTARY**. Once you have enrolled, you can withdraw if desired.

If a department is already participating in the Utah Fire Service Certification System, it will not be necessary to file another Intent to Participate form.

## **DEPARTMENT TRAINING**

The position of a Structural Collapse Rescuer is one that requires a high level of skill and knowledge. The training that is given to and received by the candidate should be of the highest quality and degree. All training received must meet the requirements of NFPA 1006 (2021), including the sections regarding technical specialty areas contained in Chapter 6, and cover the skills approved by the UFSCC contained in this Utah certification standard. All training received must be documented and recorded in the Training Record. All testing for Structural Collapse Rescue will be conducted following the Policies and Procedures of the UFSCC.

Training for Structural Collapse Rescue can be obtained by completing one of the following training courses or methods in order to qualify to take the state certification examination.

- 1. A Structural Collapse Rescue course which meets the requirements of NFPA 1006 (2021), Chapter 6. A Training Record, as given in this standard, must be completed for each person.
- 2. Department-Based Training. Departments can create their own Structural Collapse Rescue course which meets the requirements as outlined in the "Structural Collapse Rescue" section of Chapter 6 in NFPA 1006 (2021). A Training Record, as given in this standard, must be completed for each person involved in the department-based training.

To prepare the candidate to successfully pass the state certification examination, the course material should be based on: NFPA 1006 (2021), the TEEX Computer-Based Training (CBT) Structural Collapse Specialist course (9P2630), the Structural Collapse Specialist Instructor-Led Training Guide (2017) for TEEX course 9P2631, and the US&R Structures Specialist Field Operations Guide, (2021, 9<sup>th</sup> edition).

## Written Objectives

Written objectives for Structural Collapse Rescue are covered in:

- Chapter 6, "Structural Collapse Rescue," in NFPA 1006 (2021)
- Computer-Based Training (CBT) Structural Collapse Specialist course (9P2630). This is an online learning module.
- Structural Collapse Specialist Instructor-Led Training Guide (2017) for TEEX course 9P2631. This is the guide for an online learning module.
- Urban Search and Rescue Structures Specialist Field Operations Guide (FOG), 9<sup>th</sup> edition (2021)

These resources are available on the internet. A list of current resources is available online at uvu.edu/ufra.

There are numerous methods departments have used to help prepare their personnel for the written examination. Considering the high level of skill and knowledge that is required of a Structural Collapse Rescuer, the Council recommends that the candidate participate in a comprehensive course and receive instruction on both skills and written requirements.

## Skill Objectives

Each participant <u>must</u> be trained and evaluated in the performance of <u>all</u> skills as found in this Utah certification standard. Each of the skill objectives shall be completed swiftly, safely, and with competence as defined below:

- **Swiftly.** Each skill objective must be completed within the allotted time.
- Safely. Each skill objective must be completed safely. Conduct that could injure an individual or damage equipment is unacceptable. Equipment should be checked prior to skill testing or training to see that it is safe and functional.
- With Competence. Each skill objective must be performed in accordance with this Utah certification standard. This includes performing the proper steps in sequence. Competence will be measured in accordance with the UFSCS skill objectives.

## **Department Training Records**

Each candidate shall have a current, accurate, and complete Training Record on file with the department which indicates that they have been trained on all skill objectives. The Training Record must be completed in its entirety in order to test. Training Records may be completed on a computer or by hand. Departments may set up their own Training Records, use the one provided in this standard, or use the fillable Training Record found online on UFRA's website. If a department chooses to set up their own Training Record it must meet the following requirements:

- 1. Indicate the certification level and its corresponding NFPA standard number and edition.
- 2. Include a signature line for the candidate, which attests that all skills have been trained on and a complete in-house comprehensive exam was administered and passed.
- 3. Include a signature line for the Chief/Training Officer, which attests that the candidate has been trained on all skills and a complete in-house comprehensive exam was administered and passed.
- 4. Include a line to record the date the Training Record was completed.
- 5. List all the skills from this Utah certification standard for this level. Include columns indicating the dates of trainings, training instructors, the date of exams, exam instructors, and whether the candidate passed each exam (see the Training Record examples in this standard).

## Department In-House Skills Examination

At the completion of the department's skills training, the department is required to hold an in-house skills examination for the level being trained. This is a comprehensive in-house skills test conducted by the department training officers. This test is to ensure that skill mastery has been maintained from the beginning to the end of the training process, and to prepare candidates for the state examination. Training officers may utilize other personnel to assist in administering the exam; however, they must be certified at the level they are in-house testing.

Proctor instructions for the examination are in Appendix B in this standard. In-house testers shall follow the proctor instruction sheet to provide for uniformity and fairness during the exam. It is recommended that candidates be given two attempts at any skill. If they fail on the second try, then they have failed the evaluation and are required to go through additional training by the department trainer. No training, teaching, or coaching is allowed during the test. After the evaluation, using the test to teach and train is recommended.

If skill weaknesses are evident, the department should conduct additional training and hold a new department in-house skills examination to ensure their personnel have fully mastered all required skills. Only those individuals who successfully pass the department's skills test will be allowed to participate in the Certification Council's skill spot check examination. Department records must show that all candidates have successfully passed the in-house exam.

## **CERTIFICATION EXAMINATIONS**

After completion of the training process, the Chief/Administrator can request testing for the candidate using the Examination Request form in Appendix C. The candidate will then have three attempts to pass the written examination. A separate request must be sent to the Certification Office for each attempt. Request forms must reach the Certification Office no later than 30 days prior to the examination date. The entire examination process must be completed within one year of the first written exam date.

### Written Examinations

The written examination is a randomly generated test covering the written objectives of the Technical Rescue standard of NFPA 1006 (2021).

<b>Chapter 6 Certification Level</b>	# of Questions
Structural Collapse Rescue - Awareness	30
Structural Collapse Rescue - Operations	30
Structural Collapse Rescue - Technician	30

A minimum score of 70% is required to pass the certification exam. Candidates failing the first attempt of the written exam will be permitted to retest no sooner than 30 days from the date of the last exam. Three attempts area allowed to pass the exam. If a candidate fails the written examination three times, they have failed the certification process and must wait one year from the date of the last failed exam before reentering testing. Exam results are forwarded to the Chief/Administrator within 30 days following the receipt of the completed exam.

## Skills Spot Check Examinations

This is a two-step examination. The first step is a department records check and the second is the skills spot check examination. A Certification tester appointed by the Utah Fire Service Certification Council conducts the examination.

Training records are checked. If records are inadequate, corrective action must be taken before proceeding to the next step. The records must meet minimum requirements and are checked for the following:

- 1. Candidate has been trained in each skill for the level being evaluated.
- 2. A department training officer has signed off each skill.
- 3. Each candidate has passed a department in-house skills examination.

The skills spot check examination is graded on a 100% pass/fail basis. The test is graded in the following three areas:

- **Swiftly.** Each skill objective must be completed within the allotted time.
- Safely. Each skill objective must be completed safely. Conduct that could injure an individual or damage equipment is unacceptable. Equipment should be checked prior to skill testing or training to see that it is safe and functional.
- With Competence. Each skill objective must be performed in accordance with this Utah certification standard. This includes performing the proper steps in sequence. Competence will be measured in accordance with the UFSCS skill objectives.

Evolution Examinations: Candidates are spot checked on one Evolution Examination for each level (Awareness, Operations, Technician). This is a 100% pass/fail test. If a candidate fails any portion of the skill, then they have failed the evolution and must retest the entire evolution. Candidates who fail the second attempt must wait 30 days before the third and final attempt. No training, teaching, or coaching is allowed during this state test.

- Structural Collapse Rescue Awareness: one evolution examination
- Structural Collapse Rescue Operations: one **team** evolution examination
- Structural Collapse Rescue Technician: one **team** evolution examination

The skills will be from NFPA 1006 (2021), Chapter 6. Candidates are given two attempts to perform each skill/evolution. If they fail on the second attempt, the applicants must wait 30 days before the third and final attempt. Participants taking third attempts will test on the skill/evolution they missed and one additional skill.

Candidates who have failed the third attempt of the written examination or the skills examination have failed the certification process and must wait **one year** from the date of the failed third attempt to reenter state testing. The candidate will begin testing with a new **first attempt** of the written examination, following a request for examination. If a candidate wishes to enter a new course, the candidate may petition the Certification Office to reenter the certification examination process no sooner than 120 days after their **third attempt** failure. In the petition, candidates must explain the reason(s) behind their request to reenter the process.

## TECHNICAL RESCUE CERTIFICATION

When all requirements for certification have been met, applicants are eligible to be certified. The Chief/Administrator may apply to the Utah Fire Service Certification Council for certification for those candidates who have successfully completed the certification training/testing process. Requests for state certification must be submitted to the Council using the Certification/Recertification Request form provided in Appendix C. The names are then checked against the official state records to ensure that each individual listed has met all requirements and prerequisites.

Candidates who have met the requirements are issued a certificate. The Chief/Administrator is then notified that the newly acquired certification will be available to view and print within 10 business days of the issue date via the UFRA Certification and Training Lookup System at https://uvu.edu/ufra/lookup/. Patches are sold at cost. New printed certificates with an original seal attached may be requested from the Certification Department for a fee of \$10 per certificate. Wallet cards are sent to candidates if their photos are five years old or newer. A \$40 testing/certification fee will be assessed if the candidate passes their written exam on the second attempt, and a \$60 fee will be assessed if the candidate passes the written exam on the third attempt.

\*The above fee table applies to Utah fire departments only. All other agencies will be assessed a testing/certification fee of \$90 per level.

## Prerequisites for Structural Collapse Rescue Certification

To qualify to train on the NFPA 1006 section listed in the left column, candidates must have completed the prerequisite training indicated in the right column.

Training	Prerequisites
Trench Rescue - Operations (12.2)	12.1
Rope Rescue - Technician (5.3)	5.2
Confined Space Rescue - Technician (7.3)	7.2
Structural Collapse Rescue - Awareness (6.1)	
Structural Collapse Rescue - Operations (6.2)	5.3, 7.3, 6.1, 12.2
Structural Collapse Rescue - Technician (6.3)	5.3, 7.3, 6.1, 6.2, 12.2

Certification at the Technical Rescue level is valid for a three-year period. Each certified Technical Rescuer may renew certification by having the Chief/Administrator of the participating agency submit the Certification/Recertification Request provided in Appendix C.

Certified candidates should participate in at least 36 hours of structured class and skill training per year to maintain competency and stay current on their skills. This 36 hours is for all certified levels combined, not 36 hours for each individual level. A total of 108 hours of training is required for the previous three-year certification period.

### **Recertification for Technician Levels**

Certifications are valid for a three-year period. Each certified technician may renew certification by having the Chief/Administrator of the participating agency submit an "Application for Recertification" provided in Appendix C. Because of the high level of skill required of a Structural Collapse Rescue Technician, the Certification Council requires that candidates must complete an inhouse comprehensive examination on all technician level skills contained in this standard, as part of their recertification process. The original copy of the completed in-house comprehensive exam must accompany the recertification request.

For more information on Utah firefighter certification, contact the:

Utah Fire Service Certification Council Utah Fire & Rescue Academy 3131 Mike Jense Parkway, Provo, UT 84601 801-863-7709, www.uvu.edu/ufra

## TECHNICAL RESCUE CERTIFICATION CHECKLIST

ENTR.	ANCE REQUIREMENTS:
	Each candidate has met the requirements listed in NFPA 1006, 2021 edition.
	Each candidate has trained on the Technical Rescue level written objectives.
DEPA	RTMENT TRAINING RECORDS:
	Each candidate has a training record on file with the department that shows:  1. A learning experience in each skill objective 2. Dates of training 3. Initials of instructors
	Each candidate has trained on the Technical Rescue level written objectives.
DEPA	RTMENT IN-HOUSE SKILLS EXAMINATION:
	Each candidate has successfully completed an in-house skills and evolution examination.
	Exam results are documented in department training records.
CERT	IFICATION EXAMINATIONS:
	Each candidate has passed the UFSCC written examination.
	Each candidate has passed the UFSCC skills and evolution examination.
	A Spot Check examination was administered by an approved UFRA Certification Tester(s)
TECH	NICAL RESCUE CERTIFICATION:
	The Chief/Administrator has requested certification for candidates using the Certification/Recertification Request.

SECTION I
STRUCTURAL COLLAPSE RESCUE – AWARENESS

### STRUCTURAL COLLAPSE RESCUE – AWARENESS SKILLS

For the skills in this section, the AHJ <u>must</u> be able to provide a safe testing environment for the candidates and accept all liability for candidate safety. Refer to Appendix A for the Structural Collapse photo examples.

1. Conduct a scene size-up for a structural collapse rescue incident (including search parameters, risk-benefit analysis, etc.). Identify and mitigate potential hazards and establish control zones.

REFERENCE: NFPA 1006, 2021 edition, 6.1.1, 6.1.2, 6.1.6, 6.1.7

CONDITION: Given a graphic (photo) of a scene (or an AHJ-approved location) and

applicable reference materials (FOG), perform an effective scene size-

up for a structural collapse rescue incident (verbalize)

SCENARIO: A residential structure collapse incident (photo)

COMPETENCE:

- Identify construction type (lightweight, heavy)
- Identify and describe 5 collapse types (verbalize):
  - o Lean-to
  - o Pancake
  - o V-shape
  - o Cantilever
  - o A-frame
- Identify the nature of the incident (rescue or recovery)
- Describe the nature of the incident. What happened (i.e., victims, witnesses, parties involved, etc.)?
- Describe ways to identify the victim(s) point last seen
- Determine search parameters and search measures, and identify collapse zones
- Describe or identify any existing or potential hazards (i.e., gas, hazmat, electrical, additional collapse hazards, etc.)
- Request and identify types of additional resources needed (utilities, hazmat, operations or technical rescue, etc.)
- Describe support operations at a rescue incident following AHJ operational protocol (i.e., lighting, rehab, environmental control, etc.)
- Describe securing the scene and denying access (control zones)
- Describe basic sight, hailing search techniques and triangulation methods to communicate and locate victims.
- Relay information to command
- Complete skill in allotted time

TIME: 10 minutes

2. Identify type of PPE and equipment requirements for a structural collapse rescue incident.

REFERENCE: NFPA 1006, 2021 edition, 6.1.2

CONDITION: Given a structural collapse rescue incident (photo), information,

applicable reference materials, and appropriate PPE (verbalize)

SCENARIO: Given a structural collapse incident (photo), identify appropriate PPE.

COMPETENCE:

- Identify situation hazards (potential fire hazards, hazmat, electrical, etc.)
- Identify the appropriate level of PPE (boots, turnouts/long-sleeved coveralls, hearing protection, etc.) AHJ-approved
- Identify eye protection
- Identify helmet (and hood if appropriate)
- Identify gloves
- Complete skill in allotted time

TIME: 2 minutes

3. Identify the different types of information that should be recognized during a search assessment. Demonstrate placement of the information in the correct locations on a Search Assessment Marking placard.

REFERENCE: NFPA 1006, 2021 edition, 6.1.3

CONDITION: Given appropriate PPE, scenario information, FOG manual, a white

board, flip chart, or blank paper, with drawing utensils.

**Note:** Scenario marking is typically placed on the structure using fluorescent

*orange marking paint – but this is not required for testing. The candidate* 

needs to verbalize.

SCENARIO: You have been assigned to conduct a search assessment of a residential

collapsed structure based on a 911 call. Demonstrate how to draw a

Search Assessment Marking from the details given.

COMPETENCE:

- Identify appropriate PPE
- Sketch appropriate Search Assessment Markings
  - o Identify the location, date, and time team left the structure.
  - o Identify the location of the team identifier
  - Identify and mark the location of information regarding the number of alive and dead victims
  - o Identify the location where personal hazards are listed
- Report findings to command
- Complete skill in allotted time

TIME: 5 minutes

## 4. Demonstrate the ability to transport a victim, using appropriate transport techniques, while preventing further injuries.

REFERENCE: NFPA 1006, 2021 edition, 6.1.4

CONDITION: Given appropriate transport equipment (i.e., backboard, stokes, sked,

etc.), and/or other specialized equipment (AHJ), SOGs/SOPs, PPE, 3-4 member team: properly secure, package, and move a victim 10 feet

without causing further injuries.

SCENARIO: Given a structural collapse incident requiring extrication or

disentanglement of victim(s). Determine, follow, and implement applicable department SOGs/SOPs or AHJ standard practices.

Demonstrate ability to properly move a victim.

COMPETENCE:

• Wear appropriate PPE

• Determine incident needs and hazards

• Direct personnel effectively, using operational commands

• Manage the movement of the litter 10 feet

• Identify safety concerns during litter operations

• Ensure victim is safely moved without further injury

Complete skill in allotted time

TIME: 10 minutes

5. Demonstrate the proper setup of emergency lighting (AHJ) for a structural collapse rescue operation.

REFERENCE: NFPA 1006, 2021 edition, 6.1.5

CONDITION: Given lighting systems and equipment.

COMPETENCE:

• Wear appropriate PPE

• Ensure proper operational use of equipment

• Position and operate equipment properly

Mitigate safety hazards

• Complete skill in allotted time

TIME: 10 minutes

### STRUCTURAL COLLAPSE RESCUE – AWARENESS EVOLUTION

For the evolution in this section, the AHJ <u>must</u> be able to provide a safe testing environment for the candidates and accept all liability for candidate safety. Refer to Appendix A for the Structural Collapse photo examples.

To create a more realistic testing environment, the individual skills have been assembled into this examination evolution. Candidates must train and complete an in-house skills and evolution examination. The evolution will be graded on a 100% pass/fail basis.

**SKILL EXAM** 

**EVOLUTION:** Describe an appropriate scene size-up, create a Search Assessment

Marking, and report findings to command for a structural collapse

scenario.

REFERENCE: NFPA 1006, 2021 edition, 6.1.1, 6.1.2, 6.1.3, 6.1.6, 6.1.7

CONDITION: Given a graphic (photo) of a scene (or an AHJ-approved location) and

applicable reference materials (FOG), perform an effective scene size-

up for a structural collapse rescue incident (verbalize).

SCENARIO: Given a structural collapse incident, you have been assigned to conduct

a size-up and a search assessment of a residential collapsed structure based on a reported incident. Demonstrate how to draw a Search

Assessment Marking from the details given.

COMPETENCE:

• Identify construction type (lightweight, heavy)

- Identify the collapse type on the scenario provided (i.e., V-shape, pancake, lean-to, A-frame, cantilever)
- Identify nature of incident (rescue or recovery)
- Describe the nature of the incident. What happened (i.e., victims, witnesses, parties involved, etc.)?
- Determine search parameters and search measures, and identify collapse zones
- Identify any existing or potential hazards (i.e., gas, hazmat, electrical, additional collapse hazards, etc.)
- Request and identify types of additional resources needed (utilities, hazmat, operations or technical rescue, etc.)
- Secure the scene and deny access (control zones)
- Sketch appropriate Search Assessment markings (see attached)
  - o Identify the location of the date and time the team left the structure
  - o Identify the location of the team identifier
  - o Identify and mark the location of information regarding the number of alive and dead victims
  - o Identify where personal hazards are listed
- Support operations at a rescue incident following AHJ operational protocol (i.e., lighting, rehab, environmental control, etc.)
- Report findings and relay information to command

TIME: 10 minutes

# UTAH FIRE SERVICE CERTIFICATION SYSTEM STRUCTURAL COLLAPSE RESCUE – AWARENESS

NFPA 1006, 2021 Edition 6.1

### STRUCTURAL COLLAPSE RESCUE - AWARENESS TRAINING RECORD / IN-HOUSE COMPREHENSIVE FORM

Candidate Name:	Department:
Candidate Signature:	Date of Completion:
	Chief/Training Officer
Chief/Training Officer:	Signature:

This form may be completed on a computer but must be printed out for the Certification Tester to verify on test day. The date of completion must be filled in. The signatures of the Chief/Training Officer and the candidate must be original signatures. The signatures attest that all skills have been trained on and a complete in-house comprehensive exam was administered and passed. Falsification of signatures or any component of this document may result in the revocation, suspension, or denial of certification.

SECTION		TRAINING IN-HOUSE COMPREHENSIVE EXAMS		XAMS	SKILL	
	DATE	INSTRUCTOR	DATE	INSTRUCTOR	PASS	
6.1.1, 6.1.2, 6.1.6, 6.1.7						1. Conduct a scene size-up for a structural collapse rescue incident (including search parameters, risk-benefit analysis, etc.). Identify and mitigate potential hazards and establish control zones.
6.1.2						2. Identify type of PPE and equipment requirements for a structural collapse rescue incident.
6.1.3						3. Identify the different types of information that should be recognized during a search assessment. Demonstrate placement of the information in the correct locations on a Search Assessment Marking placard.
6.1.4						4. Demonstrate the ability to transport a victim, using appropriate transport techniques, while preventing further injuries.
6.1.5						5. Demonstrate the proper setup of emergency lighting (AHJ) for a structural collapse rescue operation.
EVOLUTION						Demonstrate awareness level skills for a structural collapse rescue incident

## SECTION II STRUCTURAL COLLAPSE RESCUE – OPERATIONS

## STRUCTURAL COLLAPSE RESCUE - OPERATIONS SKILLS

For the skills in this section, the AHJ <u>must</u> be able to provide a safe testing environment for the candidates and accept all liability for candidate safety. The AHJ must have the capacity to provide a Structural Collapse prop/simulator for testing purposes. Refer to Appendix A for more information.

1. Conduct a scene size-up/site survey and Incident Action Plan (IAP) for a structural collapse rescue incident (including search parameters, risk-benefit analysis, etc.).

REFERENCE: NFPA 1006, 2021 edition, 6.2.1, 6.2.2, 6.2.3, 6.2.4

CONDITION: Given a structural collapse incident, photo, or AHJ-approved testing

location, applicable reference materials (FOG), IAP or AHJ tactical worksheets, perform an effective scene size-up for a structural collapse rescue incident and apply operational protocols (verbal and/or written).

SCENARIO: Given a photo of a building with lightweight construction (structural collapse

incident)

COMPETENCE:

- Identify construction type (lightweight, unreinforced masonry, heavy, etc.)
- Identify type of collapse (lean-to, V-shape, etc.)
- Determine occupancy type (residential, commercial, etc.)
- Identify nature of the incident (rescue or recovery)
- Describe the nature of the incident. What happened (i.e., victims, witnesses, parties involved, etc.)?
- Determine search parameters and search measures, identify collapse zones
- Determine victim location
- Identify any existing or potential hazards (i.e., gas, hazmat, electrical, additional collapse hazards, etc.)
- Create an Incident Action Plan (IAP) or AHJ tactical worksheet, and apply operational protocols (in writing)
- Request and identify types of additional resources needed (utilities, hazmat, or technical rescue, etc.)
- Secure the scene and deny access (control zones)
- Relay information to command
- Complete skill in allotted time

TIME: 10 minutes

2. Identify the different types of information that should be recognized during a search assessment. Demonstrate placement of the information in the correct locations on a Victim Location Marking.

REFERENCE: NFPA 1006, 2021 edition, 6.2.5

CONDITION: Given appropriate PPE, scenario information, FOG manual, and a white

board, flip chart, or blank paper, with drawing utensils.

SCENARIO: You have been assigned to conduct a search assessment of a residential

collapsed structure based on a 911 call and information given. Demonstrate

how to draw a Victim Location Marking.

**Note:** Scenario marking is typically placed on the structure using fluorescent

orange marking paint – but this is not required for testing. <u>The candidate</u>

needs to verbalize.

#### COMPETENCE:

- Identify appropriate PPE
- Sketch appropriate victim location marking (verbalize proper color) see attached
  - o Identify the location, date, and time the team left the structure
  - o Identify the location of the team identifier
  - Identify and mark the location of information regarding the number of alive and dead victims
  - o Identify the location where personal hazards are listed
- Report findings to command
- Complete skill in allotted time

TIME: 5 minutes

### 3. Create and implement an Incident Action Plan (IAP) for a structural collapse incident.

REFERENCE: NFPA 1006, 2021 edition, 6.2.3, 6.2.4

CONDITION: Given a structural collapse incident (photo), an ICS or tactical worksheets

(AHJ), develop and implement an IAP (AHJ).

NOTE: Sample IAP forms are located in Appendix A of this standard. AHJ form may

be used also.

### COMPETENCE:

- Utilize size-up information
- Use provided ICS forms or AHJ-approved tactical worksheets to document assignments
- Implement an Incident Management System (ICS)
- Establish incident priorities
- Monitor changing conditions
- Identify specialized resources
- Determine construction and occupancy types
- Identify any existing or potential hazards (i.e., gas, hazmat, electrical, additional collapse hazards, etc.)
- Request and identify types of additional resources needed (utilities, hazmat, technical rescue, etc.)
- Complete skill in allotted time

TIME: 30 minutes

### 4. Demonstrate procedures for rehabbing a chainsaw and making it ready for service.

REFERENCE: NFPA 1006, 2021 edition, 6.2.11, 6.2.14

CONDITION: Given a chainsaw, cleaning/rehab kit, PPE, maintenance records. Follow

AHJ protocols.

### COMPETENCE:

- Appropriately use PPE, including: eye protection, hearing protection, and chainsaw chaps
- Address all safety concerns
- Check the spark plug for fouling and gap
- Describe general cleaning (vents, etc.)
- Check the filters (air and fuel)
- Check the pull cord
- Check the chain
- Inspect and clean the bar sprocket hole
- Remove the side cover plate, chain and bar, sprocket drum, and needle bearing
- Grease needle bearing and reassemble
- Examine guide bar for cracks, gouges and rough edges. File rough edges prior to returning bar to sprocket housing
- Turn the guide bar over, and reverse the removal procedures when reinstalling the chain and guide bar
- Check for proper tension. Check to see if the chain is in the correct direction, is properly tensioned when resting on the bottom of the guide bar, and can be pulled with minimum resistance.
- Check all fluid levels
- Demonstrate a safe start-up procedure
- Test chain break trigger lock
- Document maintenance records
- Complete skill in allotted time

TIME: 20 minutes

## 5. Demonstrate a horizontal breach using a pneumatic, electric, hydraulic or hand tool on a light frame structural component.

REFERENCE: NFPA 1006, 2021 edition, 6.2.11

CONDITION: Given one Pneumatic Shore as used by the AHJ, one control box including

all hoses and gauge, one air bottle, disassembled pneumatic.

COMPETENCE:

- Use appropriate PPE including eye protection, hearing protection, and respiratory protection
- Address all safety concerns
- Make an opening large enough for entry
- Cut through all materials completely while maintaining structural stability
- Safely and efficiently remove debris to facilitate access
- Complete skill in allotted time

TIME: 5 minutes

### 6. a. Construct a T-Shore, following US&R Field Operating Guide (FOG) skill steps.

REFERENCE: NFPA 1006, 2021 edition, 6.2.6

CONDITION: Given a FOG manual, PPE, a structural collapse tool kit, 2-3 member team,

materials (wood) provided by AHJ, construct a T-Shore following FOG skill

steps. Follow AHJ protocols.

### COMPETENCE:

- Wear appropriate PPE
- Identify hazards and establish safety zones
- Determine where T-Spot Shores should be built in order to quickly reduce risk. (Prior to building more stable shores)
- Perform load calculation
- Determine height of area to be shored and remove least amount of debris required to place the shore
- Cut header and sole to 3 feet long
- Cut post to proper height (remember to deduct header, sole and wedge height when cutting post)
- Prefabricate header to post
  - o Toe-nail post to header and make square
  - Place and nail full gusset plate on one side
  - o Flip shore over and place/nail another full gusset on other side
- Place T-Shore in position, centered under the load
- Position header across (perpendicular to) the roof/floor joists and position the post directly under a joist
- Slide sole plate under T and tap wedges into position
- Check for straightness and position directly under the load, and then tighten the wedges
- Install bottom half gusset; nail 4-8d nails to post and to sole
- Note that a 2 x 4 x 18" cleat may be used, but the 3-16d nails to post and sole may tend to split the cleat. Also, the nailing of 16d nails causes more impact within the danger zone than for 8d nails
- Anchor the shore to the floor above and the sole to the floor below, if practical (verbalize)
- Maintain incident stability and scene safety
- Complete skill in allotted time

TIME: 15 minutes

### 6. b. Construct a Double T-Shore, following US&R Field Operating Guide (FOG) skill steps.

REFERENCE: NFPA 1006, 2021 edition, 6.2.6

CONDITION: Given a Field Operating Guide (FOG) manual, PPE, a structural collapse tool

kit, 2-3 member team, materials (wood) provided by the AHJ, construct a

Double T-Shore following FOG skill steps and AHJ protocols.

### **COMPETENCE:**

- Wear appropriate PPE
- Identify hazards and establish safety zones
- Perform load calculation
- Determine overall height of area to be shored and remove least amount of debris required to place the shore

- The maximum length of the 4x4 post should be 11'-3", so the total height of the shore is not more than 12 feet
- Measure and cut 4x4 header, sole and post (remember to deduct header, sole and wedge height when cutting post). Header and sole are 3 feet long
- Prefabricate header to posts
  - o Toe-nail posts to header and make square.
  - o Place and nail double gusset plate on one side of both posts.
  - O Nail 5-8d nails to each post and 14-8d nails to header.
  - o Flip shore over and place another double gusset on other side
- Nail mid-height plywood, double gusset to one side of posts (8-8d nails to each post)
- Place Double T in position, centered under the load
- Slide sole plate under Double-T and tap 2x4 wedges into position
- Check for straightness plus stability, and then tighten wedges
- Install bottom half gussets and nail 4-8d nails to each post and sole
- Anchor the shore to the floor above and the sole to the floor below, if practical (verbalize)
- Maintain incident stability and scene safety
- Complete skill in allotted time

TIME: 20 minutes

### 6. c. Construct a Window/Door Shore, following US&R Field Operating Guide (FOG) skill steps.

REFERENCE: NFPA 1006, 2021 edition, 6.2.6

CONDITION: Given a Field Operating Guide (FOG) manual, PPE, a structural collapse tool

kit, 2-3 member team, materials (wood) provided by the AHJ, construct a

Window/Door Shore following FOG skill steps and AHJ protocols.

### **COMPETENCE:**

- Wear appropriate PPE
- Identify hazards and establish safety zones
- Survey, remove finishes (if required) and debris
- Perform load calculation
- Measure and cut the sole plate and header to the proper length, deducting the width of the wedges to be used
- Make header 1" deep for every foot of opening (4x4 minimum)
- Have structures specialist (StS) design a header for an opening over 4 feet wide
- Measure and cut the posts to the proper height
  - Place the header on top of the sole plate
  - To determine post height, place the end of the tape measure on top of the header where the posts are to be installed and slide the tape up to the bottom of the structural element to be shored. Deduct the thickness of the wedges to be used. (Use the shorter of the two measurements)
- Install the sole with a set of wedges at one end and tap them together simultaneously until the sole is tight
- The sole should be as level as possible: use shims as necessary under the sole plate
- Install the header with a set of wedges at the opposite end of the sole and tap them together until the header is tight
- The header should be as level as possible (use shims as necessary above the header)

- Install the posts between the header and sole, and against the sides of the opening
- Install the first post under the wedge side of the header to prevent movement if the header wedges loosen
- Keep posts in line and plumb with header and sole
- Install a wedge set under each post, on top of the sole. Wedges are then tightened to lock shore in place
- Attach cleat and half-gusset to at least one side of the header and posts and nail in place
- Confine the wedges by placing a cleat against the inside face of each post at the bottom and nail them in place with 3-16d nails to each post and 2-16d toe nails to the sole
  - o May use duplex nails for future adjustment of the wedges
- Maintain incident stability and scene safety
- Complete skill in allotted time

TIME: 20 minutes

### 7. Construct a Cribbing System, following US&R – Field Operating Guide (FOG) skill steps.

REFERENCE: NFPA 1006, 2021 edition, 6.2.6, 6.2.12

CONDITION: Given a FOG manual, PPE, cribbing, wedges/shims (provided by AHJ),

construct a 3-tier Cribbing System following FOG skill steps. Follow AHJ

protocols.

#### COMPETENCE:

- Wear appropriate PPE
- Identify hazards and establish safety zones
- Perform load calculation
- Determine overall height of area to be shored and remove least amount of debris required to place shore
- Determine the desired width dimensions of the crib
- Determine the size of the members to be used, and the configuration of the crib layers
  - O Use 6x6 members if crib needs to be more than 4 feet high
  - O Note that the 3-member x 3-member configuration is more than 2 times as strong as 2-member x 2-member
- Decide if the first layer needs to be a solid layer, depending on the type of bearing material (soil or other surface softer than a concrete slab).
  - o If the supporting surface is concrete, make sure that it has the required stiffness and capacity, and there is not a basement story below
- Carefully slide the members in for each layer, and keep the crib aligned and as square as possible
- When the crib reaches the required height, add wedges/shims to make sure that all intersections of crib members are in solid contact with the supported structure
- Attach the crib to the supporting surface (or confine its movement), if practical (verbalize)
- Follow safety procedures (i.e., pinch points, hands are not under the load, etc.)
- Maintain incident stability and scene safety
- Complete skill in allotted time

TIME: 10 minutes

8. Demonstrate a vertical lift, movement, and stabilization procedures of a heavy concrete object utilizing an inclined plane. Select the appropriate equipment (based on availability).

REFERENCE: NFPA 1006, 2021 edition, 6.2.9, 6.2.10

CONDITION: Given proper PPE, a 6-member team, FOG manual, a structural collapse tool kit

provided by the AHJ (airbag and/or levers), and 1 square or rectangular concrete object (with minimum weight of 1,000 lbs.). Follow AHJ protocols.

SCENARIO: Working as part of a 6-member team, perform a <u>lift and move</u> of the concrete

object up and over a 12" obstruction, using levers, rollers, and cribbing. The

weight of the object must be calculated.

#### COMPETENCE:

- Appropriately use PPE, including eye protection and steel-toe boots
- Appoint team leader and safety officer
- Establish lookouts(s), communications, escape routes, and safety zones (LCES)
- Calculate the weight of the object
- Give command to lift (team leader)
- Demonstrate initiating the lift of one side of the object using proper lifting techniques and equipment (wedges, pry bars, or air bags)
- Build the incline plane so the weight of the object is supported
- Move object up incline plane to a height sufficient to clear the 12" obstruction and travel a minimum distance of 5' horizontally
- Build second inclined plane on the opposite side
- Move the object onto the inclined plane
- Move the object down the second incline plane with appropriate descent control
- Ensure all movements of the object are stabilized and done in a controlled manner (under the direction of a team leader)
- Maintain control of the lifting and moving process so the object does not fall
- Monitor the lifting operation to its completion and halt the operation as deemed necessary (by the safety officer)
- Maintain incident stability and scene safety
- Complete skill in allotted time

TIME: 45 minutes

9. Demonstrate the ability to search, locate, disentangle, rescue and transport a victim, using appropriate transport techniques, while preventing further injuries. Conduct proper medical assessment and apply interventions as needed.

REFERENCE: NFPA 1006, 2021 edition, 6.2.5, 6.2.7, 6.2.8

CONDITION: Given appropriate transport equipment (i.e., backboard, stokes, sked, etc.),

and/or other specialized equipment (AHJ), PPE, manikin, 3-4 member team.

Follow AHJ protocols

SCENARIO: Given a structural collapse incident requiring extrication or disentanglement of

a victim. Determine, follow, and implement applicable department SOG/SOP(s)

or standard practices AHJ. Demonstrate the ability to search, locate,

disentangle, rescue, treat/package and transport a victim without further injuries, using appropriate transport techniques.

### **COMPETENCE:**

- Wear appropriate PPE
- Determine incident needs
- Identify hazards and establish safety zones
- Perform search of light frame and unreinforced masonry using proper search techniques
- Identify victim location
- Use marking systems to identify victim location
- Use proper rescue techniques to create access to victim
- Release victim from entrapment
- Wear appropriate PPE, treat any apparent life threats and apply interventions as needed
- Package victim properly and remove from collapse zone
- Identify safety concerns during litter operations
- Ensure victim is safely moved without further injury
- Complete skill in allotted time

TIME: 30 minutes

### 10. Terminate the incident

REFERENCE: NFPA 1006, 2021 edition, 6.2.13, 6.2.15

CONDITION: At the completion of a structural collapse rescue incident, terminate the incident

(verbalize)

#### COMPETENCE:

- Transfer scene control to the responsible party
- Communicate and report potential or existing hazards to the responsible party (AHJ)
- Identify the need for proper decontamination of PPE and equipment
- Perform proper record keeping of PPE, equipment, and maintenance (AHJ)
- Conduct a post-incident analysis.
- Terminate command
- Complete skill in allotted time

TIME: 5 minutes

### STRUCTURAL COLLAPSE RESCUE – OPERATIONS EVOLUTION

For the evolution in this section, the AHJ <u>must</u> be able to provide a safe testing environment for the candidates and accept all liability for candidate safety. The AHJ must have the capacity to provide a Structural Collapse prop/simulator for testing purposes. Refer to Appendix A for additional information.

To create a more realistic testing environment, the individual skills have been assembled into this examination evolution. Candidates must train and complete an in-house skills and evolution examination. The evolution will be graded on a 100% pass/fail basis.

SKILL EXAM EVOLUTION:

Demonstrate structural collapse operations-level skills. Given a

structural collapse incident requiring a breach, shoring, lifting/moving and disentanglement and rescue of a victim. Working as a member of a 5-10 member team, fulfill assigned team roles, including but not limited to: Rescue Officer, rescue specialists, entry team, assembly team, and support

personnel (and other AHJ protocols).

REFERENCE: NFPA 1006, 2021 edition, 6.2

CONDITION: Given a light frame or unreinforced wall, information and applicable

reference materials, ICS forms, FOG, PPE, manikin (victim), 5-10 member team, stabilization tools and equipment, search, locate, rescue, and remove victim (given an AHJ-approved location and following AHJ protocols).

**<u>Requirements</u>**: Wall to breach, location to construct and set shores, area to search and locate victim, ability to entrap a manikin with masonry or light

frame debris

Required skills performed during evolution: 1 breach, 2 shores (one window/door and one vertical shore), 1 lift, patient packaging and rescue

SCENARIO: Given a structural collapse incident requiring a breach, shoring,

lifting/moving, and disentanglement and rescue of a victim. Utilize

available resources. Demonstrate operations-level skills.

TESTER NOTES: The lead instructor will assign team roles (on the exam day). The candidates

must not know their "assigned" team roles prior to the evolution exam. Assigned team roles include/but not limited to; rescue officer, rescue

specialists, entry team, assembly team, and support personnel, and other AHJ

protocols.

\*The evolution exam is a team evolution but is graded individually; the whole team is not penalized if one or more members do not fulfill their required tasks. Each team member must have the knowledge and skills of each role to pass. If one or more team members have failed the 1st attempt by not fulfilling their required tasks as assigned or they have demonstrated they do not have the knowledge and skills in that role, individually they must complete two 2nd attempt skills included in this test packet.

### COMPETENCE:

- Wear appropriate PPE.
- Perform an incident size-up
- Request additional resources and type of resources needed (utilities, hazmat, technical rescue, etc.)
- Create an Incident Action Plan (AHJ)
- Secure the scene and deny access (control zones)
- Determine search parameters and search measures, and identify collapse zones
- Identify any existing or potential hazards (i.e., gas, hazmat, electrical, additional collapse hazards, etc.)
- Sketch appropriate Search Assessment Markings
- Safely breach through wall for access and egress large enough to remove a victim (manikin)
- Construct one window or door shore
- Construct one T-spot or double-T
- Safely stabilize, lift, and move debris to disentangle victim
- Treat any apparent life threats to the victim
- Safely remove victim from collapse zone
- Report and relay information to command
- Terminate the incident
- Complete skill in the allotted time

TIME: 1.5 hour

# UTAH FIRE SERVICE CERTIFICATION SYSTEM STRUCTURAL COLLAPSE RESCUE – OPERATIONS

NFPA 1006, 2021 Edition 6.2

TDAINING

### STRUCTURAL COLLAPSE RESCUE - OPERATIONS TRAINING RECORD / IN-HOUSE COMPREHENSIVE FORM

Candidate Name:	Department:
Candidate Signature:	Date of Completion:
Chief/Training Officer:	Chief/Training Officer Signature:

This form may be completed on a computer but must be printed out for the Certification Tester to verify on test day. The date of completion must be filled in. The signatures of the Chief/Training Officer and the candidate must be original signatures. The signatures attest that all skills have been trained on and a complete in-house comprehensive exam was administered and passed. Falsification of signatures or any component of this document may result in the revocation, suspension, or denial of certification.

SECTION		TRAINING RECORD		IN-HOUSE COMREHENSIVE EXAMS		SKILL
	DATE	INSTRUCTOR	DATE	INSTRUCTOR	PASS	
						All prerequisites have been met prior to Structural Collapse Rescue Operations.
6.2.1, 6.2.2, 6.2.3, 6.2.4						1. Conduct a scene size-up/site survey and Incident Action Plan (IAP) for a structural collapse rescue incident (including search parameters, risk-benefit analysis, etc.).
6.2.5						2. Identify the different types of information that should be recognized during a search assessment. Demonstrate placement of the information in the correct locations on a Victim Location Marking.
6.2.3, 6.2.4						3. Create and implement an Incident Action Plan (IAP) for a structural collapse incident
6.2.11, 6.2.14						4. Demonstrate procedures for rehabbing a chainsaw and making it ready for service
6.2.11						5. Demonstrate a horizontal breach using a pneumatic, electric, hydraulic or hand tool on a light frame structural component
6.2.6						<ul> <li>6. Construct these following shores, following US&amp;R Field Operating Guide (FOG) skill steps:</li> <li>a. T-Shore</li> <li>b. Double-T</li> <li>c. Window/Door</li> </ul>
6.2.6, 6.2.12						7. Construct a Cribbing System, following US&R Field Operating Guide (FOG) skill steps.
6.2.9, 6.2.10						8. Demonstrate a vertical lift, movement, and stabilization procedures of a heavy concrete object utilizing an inclined plane. Select the appropriate equipment (based on availability)
6.2.5, 6.2.7, 6.2.8						9. Demonstrate the ability to search, locate, disentangle, rescue and transport a victim, using appropriate transport techniques, while preventing further injuries. Conduct proper medical assessment and apply interventions as needed.
6.2.13, 6.2.15						10. Terminate the incident
EVOLUTION						Demonstrate operations-level skills for a structural collapse rescue incident

## SECTION III STRUCTURAL COLLAPSE RESCUE – TECHNICIAN

### STRUCTURAL COLLAPSE RESCUE - TECHNICIAN SKILL

For the skills in this section, the AHJ <u>must</u> be able to provide a safe testing environment for the candidates and accept all liability for candidate safety. The AHJ must have the capacity to provide a Structural Collapse facility/prop for testing purposes. Refer to Appendix A for more information.

1. Conduct a scene size-up/site survey and Incident Action Plan (IAP) for a collapsed heavy construction structural collapse rescue incident (including search parameters, risk-benefit analysis, etc.)

REFERENCE: NFPA 1006, 2021 edition, 6.3.1, 6.3.3, 6.3.4

CONDITION: Given a heavy construction structural collapse rescue incident (AHJ-

approved testing location, applicable reference materials (FOG), IAP or AHJ tactical worksheets, perform an effective scene size-up for the collapsed heavy construction structural collapse rescue incident and apply

AHJ operational protocols (verbal and/or written)

SCENARIO: Given a heavy construction structural collapse rescue incident of a building

or equivalent training facility/prop, conduct a scene size-up and IAP.

COMPETENCE:

• Identify construction type (lightweight, unreinforced masonry, heavy, etc.)

- Identify type of collapse (lean-to, V-shape, etc.)
- Determine occupancy type (residential, commercial, etc.)
- Identify nature of the incident (rescue or recovery)
- Describe the nature of the incident. What happened (i.e., victims, witnesses, parties involved, etc.)?
- Determine search parameters and search measures, identify collapse zones
- Determine victim location
- Identify any existing or potential hazards (i.e., gas, hazmat, electrical, additional collapse hazards, etc.)
- Create an Incident Action Plan (IAP) or AHJ tactical worksheet, and apply operational protocols (written)
- Request and identify types of additional resources needed (utilities, hazmat, or technical rescue, etc.)
- Secure the scene and deny access (control zones)
- Relay information to command
- Complete skill in allotted time

TIME: 10 minutes

# 2. Identify the different types of information that should be recognized during a structure assessment. Demonstrate placement of the information in the correct locations on a hazard location marking.

REFERENCE: NFPA 1006, 2021 edition, 6.2.3, 6.3.3, 6.3.4

CONDITION: Given a heavy construction structural collapse rescue incident, AHJ-

approved location, appropriate PPE, scenario information, FOG manual, and

a white board, flip chart or blank paper, with drawing utensils.

SCENARIO: You've been assigned to conduct a structure assessment of a heavy

construction building (concrete/steel) based on a 911 call. Demonstrate how to draw the structure/hazard evaluation marking based on given information.

**Note:** Scenario marking is typically placed on the structure using fluorescent orange

*marking paint – but this is not required for testing. The candidate needs to* 

<u>verbalize.</u>

#### COMPETENCE:

• Identify appropriate PPE

• Sketch an appropriate structure assessment marking

• Identify location, date, and time of marking

• Identify and mark the location of hazardous materials

• Identify potential hazards

• Notify the structural engineer/resource

• Report findings to command

• Complete skill in allotted time

TIME: 5 minutes

## 3. Create and implement an Incident Action Plan (IAP) for a heavy construction structural collapse rescue incident

REFERENCE: NFPA 1006, 2021 edition, 6.3.6, 6.3.4

CONDITION: Given a heavy construction structural collapse rescue incident, AHJ-

approved testing location, ICS or tactical worksheets (AHJ), develop an

IAP. Follow AHJ protocols.

SCENARIO: Given a heavy construction structural collapse incident, create and

implement an IAP (AHJ).

#### **COMPETENCE:**

• Utilize size-up information

• Use provided ICS forms or AHJ-approved tactical worksheets to document assignments

• Implement Incident Management System (ICS)

• Establish incident priorities

Monitor changing conditions

• Identify specialized resources

• Determine construction and occupancy types

• Identify any existing or potential hazards (i.e., gas, hazmat, electrical,

additional collapse hazards, etc.)

- Request and identify types of additional resources needed (utilities, hazmat, technical rescue team, structure engineer, etc.)
- Complete skill in allotted time

TIME: 30 minutes

## 4. Demonstrate procedures for servicing a rotary saw, replacing the blade, and making it ready for service.

REFERENCE: NFPA 1006, 2021 edition, 6.3.11

CONDITION: Given a rotary saw, PPE, structural collapse tool kit provided by the AHJ.

Follow AHJ protocols

#### COMPETENCE:

• Use appropriate PPE, including eye protection

- Address all safety concerns
- Ensure engine is off. Insert the locking pin through the spoke in the V-belt pulley to prevent the blade from turning
- Remove the bolt or nut holding the thrush washer in place and remove the thrush washer
- Remove the cutting blade
- Ensure proper blade selection for material being cut
- Reverse the sequence when installing new blade
- Make sure that the blade rotation corresponds to the rotation arrow on the cutting blade
- Check fuel reservoir
- Demonstrate operating the tool safely during the start-up procedure
- Complete skill in allotted time

TIME: 10 minutes

### 5. a. Demonstrate a clean vertical breach on a concrete slab with lift out.

REFERENCE: NFPA 1006, 2021 edition, 6.3.9, 6.3.10, 6.3.11

CONDITION: Given a concrete slab (minimum 4" thick), materials, PPE, a 2-4 member

team, and a structural collapse tool kit provided by the AHJ. Follow AHJ

protocols.

SCENARIO: Correctly demonstrate a clean vertical breach on a concrete slab with lift out

using appropriate tools.

#### COMPETENCE:

- Use appropriate PPE including eye protection, hearing protection, and respiratory protection
- Address all safety concerns
- Identify slab depth
- Cut inspection hole to determine victim location, using victim location tools
- Using appropriate cutting techniques, cut through all steel and concrete
- Make an opening large enough for entry

- Insert appropriate bolt or stipple rebar to facilitate lift out maneuver
- Attach web sling
- Build crib stand(s) on the outside of the cutting area to support the slab once it is cut free
- Check anchor system to ensure that it is secure
- Begin lifting out the cut section of concrete using appropriate tools
- Safely complete the lift out maneuver
- Complete skill in allotted time

TIME: 2.5 hours (+/-)

### 5. b. Demonstrate a clean horizontal breach on a concrete slab with lift out.

REFERENCE: NFPA 1006, 2021 edition, 6.3.9, 6.3.10, 6.3.11

CONDITION: Given a concrete slab (minimum 4" thick), materials, PPE, a 2-4 member

team, and a structural collapse tool kit provided by the AHJ. Follow AHJ

protocols.

Correctly demonstrate a clean horizontal breach on a concrete slab with lift out **SCENARIO:** 

using appropriate tools.

COMPETENCE:

Use appropriate PPE including eye protection, hearing protection, and respiratory protection

- Address all safety concerns
- Identify slab depth
- Cut inspection hole to determine victim location, using victim location tools
- Using appropriate cutting techniques, cut through all steel and concrete
- Make an opening large enough for entry
- Insert appropriate bolt or stipple rebar to facilitate lift out maneuver
- Attach web sling
- Lift out the cut section of concrete using appropriate tools
- Safely complete the lift out maneuver
- Complete skill in allotted time

TIME: 2.5 hours (+/-)

### 5. c. Demonstrate a dirty horizontal breach on a concrete slab.

REFERENCE: NFPA 1006, 2021 edition, 6.3.9, 6.3.10, 6.3.11

CONDITION: Given a concrete slab (minimum 4" thick), materials, PPE, a 2-4 member

team, and a structural collapse tool kit provided by the AHJ. Follow AHJ

protocols.

SCENARIO: Correctly demonstrate a dirty horizontal breach on a concrete slab using

appropriate tools.

COMPETENCE:

Use appropriate PPE including eye protection, hearing protection, and

respiratory protection

- Provide air monitoring and ventilation, as needed
- Select an appropriate respiratory protection device suitable for the size of the space and environmental content
- Select appropriate tool for the task
- Demonstrate safe start-up procedures
- Operate the tool in a safe and efficient manner
- Breach hole large enough for easy passage
- Clear opening of all sharps and snags
- Maintain safety measures
- Complete skill in allotted time

TIME: 1.5 hours (+/-)

## 5. d. Demonstrate a dirty vertical breach on a concrete slab.

REFERENCE: NFPA 1006, 2021 edition, 6.3.9, 6.3.10, 6.3.11

CONDITION: Given a concrete slab (minimum 4" thick), materials, PPE, a 2-4 member

team, and a structural collapse tool kit provided by the AHJ. Follow AHJ

protocols.

SCENARIO: Correctly demonstrate a dirty vertical breach on a concrete slab using

appropriate tools.

COMPETENCE:

- Use appropriate PPE including: eye protection, hearing protection, and respiratory protection
- Provide air monitoring and ventilation, as needed
- Select an appropriate respiratory protection device suitable for the size of the space and environmental content
- Select appropriate tool for the task
- Demonstrate safe start-up procedures (tool)
- Operate the tool in a safe and efficient manner
- Breach hole large enough for easy passage
- Clear opening of all sharps and snags
- Maintain safety measures
- Complete skill in allotted time

TIME: 1.5 hours (+/-)

## 5. e. Demonstrate a <u>vertical stitch cut</u> and lift out on a slab of concrete using a boring tool or heavy duty hammer drill.

REFERENCE: NFPA 1006, 2021 edition, 6.3.9, 6.3.10, 6.3.11

CONDITION: Given a concrete slab (minimum 4" thick), materials, PPE, a 2-4 member

team, and a structural collapse tool kit provided by the AHJ. Follow AHJ

protocols.

SCENARIO: Correctly demonstrate a dirty vertical breach on a concrete slab using

appropriate tools.

#### COMPETENCE:

- Use appropriate PPE including eye protection, hearing protection and respiratory protection
- Address all safety concerns
- Select and use appropriate tools safely
- Demonstrate safe start-up procedures
- Make a triangle cut using stitch cut technique
- Cut through all steel
- Insert the appropriate bolt or stipple (rebar) into center of the area of concrete that is to be cut
- Attach web sling to the eyebolt
- Check anchor system to ensure that it is secure
- Safely lift out and lower concrete to the ground
- Maintain safety measures
- Complete skill in allotted time

TIME: 1.5 hours (+/-)

6. Demonstrate a vertical lift and horizontal movement of a concrete slab, with stabilization procedures. Select the appropriate equipment (based on availability).

REFERENCE: NFPA 1006, 2021 edition, 6.3.9, 6.3.10

CONDITION: Given proper PPE, a 6-member team, FOG manual, equipment, a structural

collapse tool kit, and 1 square or rectangular concrete object (minimum weight

of 1,000 lbs.) provided by the AHJ. Follow AHJ protocols.

SCENARIO: Working as part of a 6-member team, perform a lift and move of the concrete

object up 12 inches and horizontally 6 feet. Use appropriate equipment and

procedures. The weight of the object must be calculated.

#### COMPETENCE:

- Appropriately use PPE including eye protection and steel-toe boots
- Appoint team leader and safety officer
- Establish LCES
- Calculate the weight of the object
- Give command to lift (team leader)
- Demonstrate appropriate lifting techniques
- Lift to a height of 12 inches
- Move the load 6 feet horizontally, while safely stabilizing the load
- Lower the load to the ground safely
- Ensure all movements of the object are done in a controlled manner (under the direction of a team leader)
- Maintain control of the lifting and moving process so the object does not fall
- Monitor the lifting operation to its completion and halt the operation as deemed necessary (by the safety officer)
- Maintain stability and scene safety
- Complete skill in allotted time

TIME: 2 hours

7. Demonstrate cutting/breaching through structural steel using appropriate torch tools and techniques.

REFERENCE: NFPA 1006, 2021 edition, 6.3.14

CONDITION: Given proper PPE, a 2-member team, structural steel (1/2-inch minimum), a

structural collapse tool kit provided by the AHJ. Use appropriate torch tools and

techniques. Follow AHJ protocols.

#### COMPETENCE:

- Use appropriate PPE (turnouts, eye protection, hood, gloves, respiratory protection, etc.) AHJ
- Address all safety concerns
- Cut through structural steel using appropriate techniques
- Ensure fire control measures are in place and extinguishing methods are demonstrated
- Safely and efficiently complete the cut
- Complete skill in allotted time

TIME: 20 minutes

8. Demonstrate the construction of a Raker system using one 45° or 60° solid sole and one 45° or 60° split sole Raker system, which must be appropriately laced together. Verbalize initial spot shoring. Follow Field Operating Guide (FOG) skill steps.

REFERENCE: NFPA 1006, 2021 edition, 6.3.6, 6.3.13

CONDITION: Given an 8-14 member team, FOG manual, PPE, and a structural collapse tool kit

provided by the AHJ. Follow AHJ protocols.

SCENARIO: Shore a portion of a structure. The insertion point on the wall is between 8 and 12

feet. Construct either a 45° or 60° angle, one solid and one split sole Raker shore

laced together into a system. Follow appropriate safety guidelines.

- Use appropriate PPE (including eye protection and steel-toe boots)
- Appoint team leader/safety officer
- Establish LCES
- Request additional resources and identify type of resources needed (utilities, hazmat, technical rescue, structural engineer, etc.)
- Perform structural load calculation
- Verbalize the need for spot shoring
- Determine insertion point
- Measure and cut the wall plates and sole plates to the proper length
- Measure and cut the top and bottom cleats using appropriate size lumber
- Install top and bottom cleats to header and sole plates at the appropriate location, using appropriate size and number of nails
- Measure and cut the Raker to the appropriate length and cut the appropriate angle on both ends
- Attach the sole plate to the bottom of the wall plate with gusset plates and

nails on both sides using correct nail pattern

- Install the Raker by sliding up against the bottom of the top cleat and secure with gusset plates on both sides using the appropriate nail pattern
- Build appropriate anchor system
- Move Raker into place and pin into wall (verbalize)
- Install appropriate wedges and pressurize system
- Lace Raker system together
- Maintain stability and scene safety
- Complete skill in allotted time

TIME: 2 hours

9. Demonstrate the construction of a 2-Post Vertical Shore system and evaluate structural stability hazards and structural load calculations. Follow Field Operating Guide (FOG) skill steps.

REFERENCE: NFPA 1006, 2021 edition, 6.3.6, 6.3.13

CONDITION: Given a 4-member team, FOG manual, PPE, and a structural collapse tool kit,

provided by the AHJ. Follow AHJ protocols.

SCENARIO: Shore a portion of a ceiling or floor by constructing a 2-Post Vertical Shore

system at a specified site and evaluate structural stability hazards and structural

load calculations.

- Use appropriate PPE
- Address all safety concerns and evaluate the structure for stability and hazards
- Establish LCES
- Request additional resources and identify type of resources needed (utilities, hazmat, technical rescue, structural engineer, etc.)
- Perform structural load calculation
- Verbalize the need for spot shoring
- Select and construct the sole plate using proper size nails and pattern
- Measure and cut the vertical post to the appropriate length
- Attach the posts to the header with gusset plates and erect shore using proper size nails and pattern
- Install a set of wedges to the bottom of each post and tighten snugly
- Secure nails behind the wedges to prevent kick-out
- Attach gusset plates to at least one side of the posts and header using proper size nails and pattern
- Attach gusset plates where appropriate using proper size nails and pattern
- Attach diagonal braces and appropriate midpoint bracing, using appropriate size lumber, to both sides of the vertical shore
- Confirm that the diagonal braces capture the header, posts, and sole plate on both sides
- Verbalize the process of lacing 2 post vertical shores to create a laced post shoring system
- Mitigate specific hazards associated with shoring tasks
- Maintain stability and scene safety

• Complete skill in allotted time

TIME: 45 minutes

## 10. Demonstrate the construction of a type-2 sloped floor shore system. Verbalize initial spot shoring. Follow Field Operating Guide (FOG) skill steps.

REFERENCE: NFPA 1006, 2021 edition, 6.3.6, 6.3.13

CONDITION: Given a 4-member team, materials (lumber), PPE, FOG manual, and a structural

collapse tool kit provided by the AHJ. Follow AHJ protocols.

SCENARIO: Given a sloped floor scenario, build an appropriate shore to capture the load.

Follow appropriate safety guidelines and wear appropriate PPE.

#### COMPETENCE:

• Wear appropriate PPE

- Address all safety concerns
- Establish LCES
- Request additional resources and identify type of resources needed (utilities, hazmat, technical rescue, structural engineer, etc.)
- Perform structural load calculation
- Verbalize the need for spot shoring
- Determine the length and width of the shore and post locations
- Assure headers overlap 12 inches
- Assure sole plate is at least 2 feet longer at the base of the back posts
- Measure and install the two posts and secure to the header with appropriate gussets and nail patterns
- Nail down the bottom cleats using appropriate nail patterns
- Verbalize need for anchoring, as appropriate
- Place wedges in position and pressurize system
- Measure appropriate dimension lumber for the diagonal braces for inside and outside sections
- Install diagonal braces and secure to the header post and sole plate
- Lace the two sections together with appropriate nail pattern
- Maintain stability and scene safety
- Complete skill in allotted time

TIME: 90 minutes

# 11. Construct a slopped cribbing system (i.e., floor, roof, etc.), following US&R Field Operating Guide (FOG) skill steps. Crib a sloped floor.

REFERENCE: NFPA 1006, 2021 edition, 6.3.6, 6.3.12, 6.3.13

CONDITION: Given a FOG manual, PPE, cribbing, wedges/shims, materials (lumber) provided

by AHJ, construct a 3-tier Cribbing System following FOG skill steps, and

following AHJ protocols.

- Wear appropriate PPE
- Identify hazards and establish safety zones

- Perform load calculation
- Determine overall height of area to be shored and remove least amount of debris required to place shore
- Determine the desired width dimensions of the crib
- Determine the size of the members to be used, and the configuration of the crib layers.
  - O Use 6x6 members if crib needs to be more than 4 feet high
  - O Note that the 3-member x 3-member configuration is more than 2 times as strong as 2-member x 2-member
- Decide if the first layer needs to be a solid layer, depending on the type of bearing material (soil or other surface softer than a concrete slab).
  - If the supporting surface is concrete, make sure that it has the required stiffness and capacity, and there is not a basement story below
- Carefully slide the members in for each layer, and keep the crib aligned and as square as possible
- Appropriately place wedges/shims to create a slope no greater than 15°
- When the crib reaches required height, add wedges/shims to make sure that all intersections of crib members are in solid contact with the supported structure
- Attach the crib to the supporting surface (or confine its movement), if practical
- Follow safety procedures (i.e., pinch points, hands are not under the load, etc.)
- Maintain stability and scene safety
- Complete skill in allotted time

TIME: 20 minutes

12. Demonstrate the ability to search, locate, disentangle, rescue and remove a victim, using appropriate transport techniques, while preventing further injuries. Conduct proper medical assessment and apply interventions as needed.

REFERENCE: NFPA 1006, 2021 edition, 6.3.2, 6.3.5, 6.3.7, 6.3.8

CONDITION: Given a heavy construction structural collapse rescue incident, AHJ-approved

testing location, appropriate transport equipment (i.e., backboard, stokes, sked, etc.) and/or other specialized equipment (AHJ), FOG manual, PPE, manikin, 3-4

member team. Follow AHJ protocols.

SCENARIO: Given a structural collapse incident requiring extrication or disentanglement of a

victim. Determine, follow, and implement applicable department SOGs/SOPs or AHJ standard practices. Demonstrate the ability to search, locate, disentangle, rescue, treat/package and transport a victim while preventing further injuries,

using appropriate transport techniques.

- Wear appropriate PPE
- Determine incident needs
- Identify hazards and establish safety zones
- Perform search of a heavy construction type collapsed structure using proper search techniques

- Identify victim location
- Use marking systems to identify victim location
- Use proper rescue techniques to create access to victim
- Release victim from entrapment
- Wear appropriate PPE, treat any apparent life threats and apply interventions as needed
- Package victim properly and remove from collapse zone
- Identify safety concerns during litter operations
- Ensure victim is safely moved without further injury
- Maintain stability and scene safety
- Complete skill in allotted time

TIME: 1 hour

## 13. Demonstrate the proper rigging techniques to safely move heavy objects using heavy equipment. Appropriately use radio and hand signals to coordinate operation.

REFERENCE: NFPA 1006, 2021 edition, 6.3.15

CONDITION: Given a heavy object, PPE, use synthetic or wire slings to safely rig and

communicate lifting/moving operation. Follow AHJ protocols.

SCENARIO: Coordinate the use of heavy equipment using appropriate rigging methods,

recognizing and avoiding hazards, and following operational protocols.

(Verbalize the use of heavy equipment.)

#### COMPETENCE:

- Wear appropriate PPE
- Determine if heavy equipment meets operational objectives
- Calculate loads and equipment limitations
- Accurately identify center of mass
- Properly rig sling to perform safe lift operation
- Demonstrate appropriate hand signals (hoist, lower, stop, raise boom and lower boom, emergency stop, extend and retract)
- Demonstrate appropriate radio communication
- Recognize and mitigate hazards
- Identify safety concerns for rescuer and operator
- Complete skill in allotted time

TIME: 15 minutes

#### STRUCTURAL COLLAPSE RESCUE - TECHNICIAN EVOLUTION

For the evolution in this section, the AHJ <u>must</u> be able to provide a safe testing environment for the candidates and accept all liability for candidate safety. The AHJ must have the capacity to provide a Structural Collapse facility/prop for testing purposes. Refer to Appendix A for more information.

To create a more realistic testing environment, the individual skills have been assembled into this examination evolution. Candidates must train and complete an in-house skills and evolution examination. The evolution will be graded on a 100% pass/fail basis.

SKILL EXAM

**EVOLUTION:** Demonstrate Structural Collapse Technician level skills: a breach,

shoring, lifting/moving, and disentanglement and rescue of a victim. Working as a member of a 5-10 member team, fulfill assigned team roles, including but not limited to: Rescue Officer, rescue specialists, entry team, assembly team, and support personnel, and other. Follow AHJ protocols.

REFERENCE: NFPA 1006, 2021 edition, 6.3.1-6.3.13

CONDITION: Given a heavy construction structural collapse rescue incident (AHJ-approved

location), information and applicable reference materials, supplies (lumber), ICS forms, FOG, PPE, manikin (victim), 5-10 member team, structural collapse tool kit (AHJ), and lifting and stabilization tools and equipment (AHJ), search, locate, rescue, and remove victim. Follow AHJ protocols.

**Requirements:** Wall/floor to breach, location to construct and set shores, area to search and locate victim, ability to entrap a manikin, heavy construction type

material.

Required skills to be performed during evolution: 1 Raker shore system, 1 dirty breach, 1 vertical shore, 1 lift operation to disentangle victim, patient

packaging and rescue

SCENARIO: Given a heavy construction structural collapse incident requiring a breach,

shoring, lifting/moving and disentanglement and rescue of a victim. Utilize

available resources. Demonstrate technician level skills.

(Build a Raker system, breach through a concrete slab, build an interior vertical shore, lift a heavy object to disentangle and remove a victim)

TESTER NOTES: The lead instructor will assign team roles (on the exam day). The candidates

must not know their "assigned" team roles prior to the evolution exam. Assigned team roles include/but not limited to; rescue officer, rescue

specialists, entry team, assembly team, and support personnel, and other AHJ

protocols.

<sup>\*</sup>The evolution exam is a team evolution but is graded individually; the whole team is not penalized if one or more members do not fulfill their required tasks. Each team member must have the knowledge and skills of each role to pass. If one or more team members have failed the 1st attempt by not fulfilling their required tasks as assigned or they have demonstrated they do not have the knowledge and skills in that role, individually they must complete two 2nd attempt skills included in this test packet.

#### **COMPETENCE:**

- Wear appropriate PPE
- Perform an incident size-up
- Request additional resources and identify type of resources needed (utilities, hazmat, technical rescue, structural engineer, etc.)
- Create an Incident Action Plan (AHJ)
- Secure the scene and deny access (control zones)
- Determine search parameters and search measures, and identify collapse zones
- Identify any existing or potential hazards (i.e., gas, hazmat, electrical, additional collapse hazards, etc.)
- Sketch appropriate search, structure, and Victim Location Markings
- Safely breach through concrete slab for access and egress large enough to remove a victim (manikin)
- Construct a Raker shore system
- Construct a vertical shoring system
- Safely stabilize, lift, and move heavy construction material/debris to disentangle victim
- Treat any apparent life threats to the victim
- Safely remove victim from collapse zone
- Report and relay information to command
- Terminate the incident
- Complete skill in the allotted time

TIME: 6 hours

# UTAH FIRE SERVICE CERTIFICATION SYSTEM STRUCTURAL COLLAPSE RESCUE TECHNICIAN

NFPA 1006, 2021 Edition 6.3

#### STRUCTURAL COLLAPSE RESCUE TECHNICIAN TRAINING RECORD / IN-HOUSE COMPREHENSIVE FORM

Candidate Name:	Department:
Candidate Signature:	Date of Completion:
	Chief/Training Officer
Chief/Training Officer:	Signature:

This form may be completed on a computer but must be printed out for the Certification Tester to verify on test day. The date of completion must be filled in. The signatures of the Chief/Training Officer and the candidate must be original signatures. The signatures attest that all skills have been trained on and a complete in-house comprehensive exam was administered and passed. Falsification of signatures or any component of this document may result in the revocation, suspension, or denial of certification.

SECTION		RAINING ECORD	СОМР	IN-HOUSE REHENSIVE E	XAMS	SKILL		
	DATE	INSTRUCTOR	DATE	INSTRUCTOR	PASS			
						Structural Collapse Rescue prerequisites have been met prior to Structural Collapse Technician.		
6.3.1, 6.3.3, 6.3.4						1. Conduct a scene size-up/site survey and Incident Action Plan (IAP) for a heavy construction structural collapse rescue incident (including search parameters, risk-benefit analysis, etc.)		
6.3.2, 6.3.3, 6.3.4						2. Identify the different types of information that should be recognized during a structure assessment. Demonstrate placement of the information in the correct locations on a hazard location marking.		
6.3.3, 6.3.4						3. Create and implement an Incident Action Plan (IAP) for a heavy construction structural collapse rescue incident.		
6.3.11						4. Demonstrate procedures for servicing a rotary saw, replacing the blade, and making it ready for service.		
6.3.9, 6.3.10, 6.3.11						Demonstrate the following concrete breaching techniques:		
6.3.9, 6.3.10						5. Demonstrate a vertical lift and horizontal movement of a concrete slab, with stabilization procedures. Select the appropriate equipment (based on availability).		
6.3.14						6. Demonstrate a cutting/breaching through structural steel using appropriate torch tools and techniques.		
6.3.6, 6.3.13						7. Demonstrate the construction of a Raker system using one 45° or 60° solid sole and one 45° or 60° split sole Raker system, which must be appropriately laced together.		

6.3.6, 6.3.13		8. Demonstrate the construction of a 2-Post Vertical Shore system and evaluate structural stability hazards and structural load calculations. Demonstrate the process to construct a laced post shoring system. Follow Field Operating Guide (FOG) skill steps.
6.3.6, 6.3.13		9. Demonstrate the construction of a type-2 sloped floor shore system. Verbalize initial spot shoring. Follow Field Operating Guide (FOG) skill steps.
6.3.6, 6.3.12, 6.3.13		10. Construct a slopped cribbing system (i.e., floor, roof, etc.), following US&R Field Operating Guide (FOG) skill steps. Crib a sloped floor.
6.3.2, 6.3.5, 6.3.7, 6.3.8		11. Demonstrate the ability to search, locate, disentangle, rescue and transport a victim, using appropriate transport techniques, while preventing further injuries. Conduct proper medical assessment and apply interventions as needed.
6.3.15		12. Demonstrate the proper rigging techniques to safely move heavy objects using heavy equipment. Appropriately use radio and hand signals to coordinate operation.
EVOLUTION		Demonstrate technician-level skills for a heavy construction structural collapse rescue

APPENDIX A	
STRUCTURAL COLLAPSE RESCUE EXAMPLES AND	<b>FORMS</b>

## STRUCTURAL COLLAPSE – PHOTO EXAMPLES







# EXAMPLE OF AN INCIDENT ACTION PLAN (IAP) FOR STRUCTURAL COLLAPSE

Not all-inclusive

Documents approved by the Authority Having Jurisdiction (AHJ) have priority. The following forms are examples of what may be used as needed.

cident Name:			Operationa	l Period:	
cident Number:			Date:	To:	
ap/Sketch:			Time:	To:	
-	ribing the total a	area of operations, the in-	cident site/area, impa	cted and threatened areas	, overflight
results, trajectories,	impacted shorel	ines, or other graphics de	epicting situational sta	atus and resource assignm	nent.
Cituation Cumn					
Situation Sumi	nary (for briefi	ngs and transfer of comr	nand):		
Situation Summ	nary (for briefi	ngs and transfer of com	nand):		
Situation Summ	nary (for briefi	ngs and transfer of com	nand):		
Situation Summ	1ary (for briefi	ngs and transfer of comr	nand):		
	•		nand):		
Current and Pl	•		nand):		
	•		nand):		
	•		nand):		
	•		nand):		
Current and Pl	anned Objec	etives:			
Current and Pl	anned Objec				
Current and Pl	anned Objec	etives:			
Current and Pl	anned Objec	etives:			
Current and Pl	anned Objec	etives:			
Current and Pl	anned Objec	etives:			
Current and Pl	anned Objec	etives:			
Current and Pl Current and Pl Time:	anned Objec	etives:			
Current and Pl Time:	anned Object anned Action Actions:	rmation (as needed)	<b>Factics</b>	Chief, etc.)	
Current and Pl Current and Pl Time:	anned Object anned Action Actions:	rmation (as needed)	Factics	Chief, etc.)	
Current and Pl Time:  Attached Add Attach Curre	anned Object anned Action Actions: ditional Informat Organiza	rmation (as needed) tion Chart (IC, LO	Γactics o, SO, PIO, Ops One following:	· · · · · ·	No
Current and Pl Current and Pl Time:	anned Object anned Action Actions:	rmation (as needed)	Factics	· · · · · ·	No
Current and Pl Time:  Attached Add Attach Curre Attach Resou	anned Object anned Action Actions: ditional Informat Organiza rce Summan	rmation (as needed) tion Chart (IC, LO ry which includes the	Γactics  o, SO, PIO, Ops ( the following:  □ ETA □ Note:	s Arrived 🗆 Yes 🗆	
Current and Pl Time:  Attached Add Attach Curre Attach Resou Resource(s)	anned Object anned Action Actions: ditional Informat Organiza rce Summan	rmation (as needed) tion Chart (IC, LO	Γactics  o, SO, PIO, Ops ( the following:  □ ETA □ Note:	· · · · · ·	
Current and Pl Time:  Attached Add Attach Curre Attach Resou	anned Object anned Action Actions: ditional Informat Organiza rce Summan	rmation (as needed) tion Chart (IC, LO ry which includes the	Γactics  o, SO, PIO, Ops ( the following:  □ ETA □ Note:	s Arrived 🗆 Yes 🗆	

INCIDEN	T OBJECTIVES (ICS 202)
Incident Name:	Operational Period:
Incident Number:	Date: To:
	Time: To:
Objective(s):	
Operational Period Command Emph	asis:
operational relieu communa 2.mp.	
General Situational Awareness:	
General Situational Awareness.	
Site Safety Plan Required? □ Yes	□No
Approved Site Safety Plan(s) location	ı:
Incident Action Plan Items Included:	
☐ ICS 201 ☐ ICS 202 ☐ ICS 203	$\square$ ICS 204 $\square$ ICS 205 $\square$ ICS 205A $\square$ ICS 206
☐ ICS 207 ☐ ICS 208 ☐ ICS 215A	•
Other: Class Schedules	☐ Off-Site Maps with Logs diagrams ☐ Schedule of Events
☐ Division Assignment Org	
Incident Commander: Name:	
Prepared by:	Title:
Date:	
ICS 202	Page:

ORGANIZATI	ON ASSIGNMENT LIST (ICS 203)
Incident Name:	Operational Period:
	Date: To:
Incident Number:	Time: To:
Incident Commander(s) and Staffi	Dlanning Sections
Incident Commander(s) and Staff: IC/UCs:	Planning Section:  Chief:
ic/ ccs.	Deputy:
	Resources Unit:
Deputy:	Situation Unit:
Safety Officer:	Documentation:
Public Info Officer:	Demobilization:
Liaison Officer:	Technical:
<b>Logistics Section:</b>	Operations Section:
Chief:	Chief:
Deputy:	Deputy:
Other:	Staging Area:
Support Branch:	Branch Director:
Director:	Deputy:
Supply:	Division/Group:
Facilities:	Division/Group:
Ground:	Division/Group:
Other:	Other:
Service Branch:	Branch Director:
Director:	Deputy:
Communications:	Division/Group:
Medical:	Division/Group:
Food:	Division/Group:
Air Operations:	Other:
Director:	Other:
Finance/Administration Section:	
Chief:	Procurement:
Deputy:	Comp/Claims:
Time Unit:	Cost:
Other:	Other:
04	
Other:	
Prepared by:	Title:
Date:	
ICS 203	Page:

	ASS	SIGNME	NT LIST (I	CS 204)
Incident Name:			<b>Operatio</b>	nal Period:
			Date:	To:
Incident Number:			Time:	To:
Duamah.			Cwarm	
Branch:			Group: Staging	
Division:			Area:	
Resources Assigned:				
Resource Identifier	Leader	# of Persons	Contact Info	Reporting Location, Equipment, Notes:
Attached additional ass	 	 □ No		
Work Assignmen				
Special Instruction	ons:	No Deta	ails:	
Communications (ra		contact numbe	ers needed for this	assignment):
See also ICS 205 & Name/Function	205A		Primary Con	tact: Cell, Radio, etc.
			•	
Prepared by:			Title:	
Date:				
ICS 204				Page:

cident Name	<b>):</b>		Ope	rational l	Period:			
			Date:			To:		
Incident Nu	mber:		Time:	:		To:		
Basic Radio	Channel	IIco.						
Function	Channel	Division/Group	N/W Frequency	NAC/		Mode (A, D, M)	Zone	
Command	Chan	Division, S. Vp	(RX/TX)	(RX/	TX)	Midde (11, 21,)	Ev.	
Collinatio	1	1	+					
	1	_	+				<u> </u>	
	1		1					
			<del> </del>					
	1		-				-	
	-							
	<u> </u>							
		ents:						
Special Inst	-mations.							
		COMMUNIC	CATIONS LIS	ST (ICS	S 205A	A)		
Saction/Divisio		Basic Loc	cal Communications In		1	•	II atc.)	
Section/Divisio					1	A) et Method (Radio, Ce	ll, etc.)	
Section/Divisio		Basic Loc	cal Communications In		1	•	ll, etc.)	
Section/Divisio		Basic Loc	cal Communications In		1	•	ll, etc.)	
Section/Divisio		Basic Loc	cal Communications In		1	•	II, etc.)	
Section/Divisio		Basic Loc	cal Communications In		1	•	ll, etc.)	
Section/Division		Basic Loc	cal Communications In		1	•	·ll, etc.)	
Section/Division		Basic Loc	cal Communications In		1	•	·II, etc.)	
Section/Division		Basic Loc	cal Communications In		1	•	ell, etc.)	
Section/Division		Basic Loc	cal Communications In		1	•	ell, etc.)	
Section/Division		Basic Loc	cal Communications In		1	•	ell, etc.)	
Section/Division		Basic Loc	cal Communications In		1	•	ell, etc.)	
	on Group	Basic Loc	cal Communications In		1	•	ell, etc.)	
Attached additio	on Group  Donal assignment	Position Assigned	Name		1	•	ell, etc.)	

Incident Number:  Medical Aid Stations:  Name (Last, First)  Transportation (indicant Ambulance Service  Hospitals:  Hospital Name: Address	eate air or grou	ınd):	Date: Time:  Travel Air	Contac	To: To: To:  To:  Trauma	S   Y   Y   Y   Y   Y   Y   Y   Y   Y	medics on Site?  Tes □ No  Tes □ BLS  LS □ BLS  LS □ BLS
Medical Aid Stations:  Name (Last, First)  Transportation (indicand Ambulance Service  Hospitals:	eate air or grou	Contact	Travel	Contac	act Number(s	Y   Y   Y   Y   Y   Y   Y   Y   Y   Y	Site?  Yes □ No  Yes □ No  Yes □ No  Yes □ No  Of Service  LS □ BLS  LS □ BLS
Name (Last, First)  Transportation (indicand Ambulance Service  Hospitals:	eate air or grou	Contact		Contac	act Number(s)	Y   Y   Y   Y   Y   Y   Y   Y   Y   Y	Site?  Yes □ No  Yes □ No  Yes □ No  Yes □ No  Of Service  LS □ BLS  LS □ BLS
Transportation (indicated Ambulance Service  Hospitals:	eate air or grou Location	Contact		Contac	act Number(s)	Y   Y   Y   Y   Y   Y   Y   Y   Y   Y	Site?  Yes □ No  Yes □ No  Yes □ No  Yes □ No  Of Service  LS □ BLS  LS □ BLS
Ambulance Service  Hospitals:	Location	Contact Number/		l Time			Yes □ No Of Service LS □ BLS LS □ BLS
Ambulance Service  Hospitals:	Location	Contact Number/		l Time			res □ No res □ No res □ No res □ BLS res □ BLS res □ BLS
Ambulance Service  Hospitals:	Location	Contact Number/		l Time		☐ Y    Level     □ AL   □ AL   □ AL	of Service LS □ BLS LS □ BLS
Ambulance Service  Hospitals:	Location	Contact Number/		l Time		Level	of Service LS  BLS BLS
Ambulance Service  Hospitals:	Location	Contact Number/		l Time			LS  BLS  BLS
Hospitals:		Contact Number/		l Time			LS  BLS  BLS
	3:	Number/			Trauma		LS 🗆 BLS
	5:	Number/			Trauma		
	5:	Number/			Trauma		S  BLS
	s:	Number/			Trauma	Burn	
Hospital Name: Address	s:	Number/			Trauma	Burn	
		Frequency	AII		Center	Center	Helipad
			1	Ground		☐ Yes	□ Yes
				<u> </u>	□ No	□ No □ Yes	□ No □ Yes
					□ No	□ No	□ No
ı	J					☐ Yes ☐ No	☐ Yes ☐ No
Attached additional info: □ Y □ Check box if aviation asso	Yes □No		s are used, cc	pordinate wi	th Air Operati	ons.	
- ,,			T:				
Prepared by: Date:			11	tle:			

	SAFETY MESS	SAGE/PLAN (ICS	208)	
Incident Name:		Operational	Period:	
			To:	_
Incident Numbe	r:	Time:	To:	_
Safety Message:				
Safety Plan:				_
Additional Safet	v Information:			
	V			
Attached additional in	fo: □ Yes □ No			
	Incident Action Plan	Safety Analysis (IC	CS 215A)	
Incident Area	Hazards/Risks		Mitigations	
				_
				_
				_
				$\dashv$
Attached additional in	fo: □ Ves □ No		<b>I</b>	
	: Time:			
ICS 208/215A			Page:	
1C5 200/215A			rage:	_

### **Operational Planning Worksheet (ICS 215) Incident Name: Operational Period:** Date: Time: Special Equipment & Supplies Requested Arrival Time Work Assignment & Special Instructions Division, Group, or Other Overhead positions Reporting Location Resources Branch Req. Have Need Req. Have Need Req. Have Need Attached additional info: Yes No **Total Resources** Prepared by: Required Name: **Total Resources Have on Hand** Position/Title: Signature: **Total Resources Need to Order** Date/Time: **ICS 215**

APPENDIX B
PROCTOR INSTRUCTIONS OF IN-HOUSE COMPREHENSIVE EXAMINATIONS

### **Proctor Instructions for In-House Comprehensive Examination**

As the training officers for your department, you are authorized by the Certification Council to conduct an in-house skills examination (100%) for this level of certification. You must be certified to the level that you are testing. For example, if you're FF II you can test both FF I and II, Awareness and Operations. The in-house skills examination must be completed and signed off prior to the actual certification spot check exam (administered by a UFRA certification tester).

#### • Prior to conducting the test, review each candidate's training record.

It is important that before doing this in-house training skills test, the candidate has completed training in all areas for the level being tested.

#### • Select and brief a Safety Officer

Select a Safety Officer to assist you during the test. This person is there to protect the candidates from injury during the testing process, is not taking the test, and is not assisting with the testing process.

# To better evaluate the skills being tested and determine the candidate's readiness for the <u>State</u> <u>Spot Check exam, follow these in-house exam instructions:</u>

- 1. This is a TEST and there should be NO COACHING or TRAINING during the testing process. If a candidate fails to perform a skill, that skill will count as a first attempt failure and they will be given a second attempt. If they fail a second attempt, they need to be retrained on that skill and tested again. Only **qualified** candidates that have passed with **100%** should be allowed to take the State Spot Check exam.
- 2. Before beginning the testing process, conduct a meeting with all candidates and review the testing process. Explain that this is a test and that the same process being used for the in-house exam will be used during the state exam.
- 3. Designate two separate areas for students testing: One area for those who are in the testing process and one area for those who have not yet begun the testing process. If separate areas are not available, make sure someone is in the room to ensure that students do not discuss the testing material. Make sure these areas have no training manuals or other reference materials for students to look at while awaiting testing.
- 4. To evaluate a candidate's performance, use the following as a guide:
  - a. The skill is completed in the allotted time.
  - b. Competence is shown by completing all performance criteria.
  - c. Safety is shown while completing the skill.
- 5. At each test station the tester will read the skill to be demonstrated, the condition to be met and the time limit to complete each skill. This information is contained in the skill section of each standards packet. Do this with each student as they come to each testing station. Ask for any questions. As each skill is tested and completed, sign it off in the section provided on the candidate's training record.

By conducting the in-house skills examination in this manner, you will prepare your candidates to successfully pass the State Spot Check exam. This will also assure that training records are current and that only those who are truly prepared take the Certification Examination.

#### APPENDIX C CERTIFICATION FORMS

Certification Forms are located on our website at UVU.edu/UFRA under Certification https://www.uvu.edu/ufra/certification/certification\_forms.html

Which includes the following forms:

Intent to Participate
Examination Request
Certification/Recertification Request